

BIL	Quotation Reference	Description	Advertisement Date	Closing Date (Not Later Than 2.00PM)	Quotation Fee	Requesting Department	Focal Person
3	39/QTN/JPK/2022	<p>SUPPLY, DELIVERY INSTALLATION, TESTING AND COMMISSIONING, SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH</p> <p><u>PLACE OF SUBMISSION:</u> QUOTATION BOX (GROUND FLOOR) MINISTRY OF HEALTH COMMONWEALTH DRIVE BANDAR SERI BEGAWAN, BB 3910 NEGARA BRUNEI DARUSSALAM</p>	16/11/2022	03/12/2022	\$5.00	JABATAN PERKHIDMATAN KESIHATAN, KEMENTERIAN KESIHATAN.	HAJI AMIR HISMA BIN MASRI JURUTERA PERUBATAN HAYAT TEL: 2381640

UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH

	USER REQUIREMENT
STANDARD FEATURES:	
	<ul style="list-style-type: none"> • One step head-board removal • Instant CPR release • Electrical operation for all functions such as; <ul style="list-style-type: none"> ➤ Bed high-low ➤ Head (back rest) articulation ➤ Knee (foot rest) articulation ➤ Auto contour (head & knee together moving function) ➤ Trendelenburg and reverse trendelenburg with controls on both sides and at the foot-end. • Battery back-up • Caregiver articulation lockout controls. • Trendelenburg and reverse trendelenburg at 13° • Head section (back rest) articulation: 0 to 72.5° • Knee section (foot rest) articulation: 0 to 25° • Angle indicator for trendelenburg & reverse trendelenburg • Standard sleep deck: <ul style="list-style-type: none"> ➤ Width: 105 - 110 cm ➤ Length: 225 - 228 cm • Frame width: 90 - 99 cm • Controls on both side rail for the patient & another control at the foot-end for user • Mobile 5" casters • 4-Position IV pole mounts • Headboard and footboard with push handles • Zero transfer gap • Retracting siderails for easy patient transfer • Standard sleep deck – 90" • Complies with International Quality and Safety Standards such as <ul style="list-style-type: none"> - IEC 60601-1 Medical Electrical Equipment for Safety - IEC 60601-1-2 Top level standard for Electromagnetic compatibility - IEC 60601-2-38 For Safety of the Bed such as Construction, Mechanical Strength Mechanical Hazards, Protection against Ingress of Fluid - UL60601 Base Standard for Electro-medical Equipment - IPX 4 Level of Protection against Ingress of Fluid
MATTRESS FEATURES:	<ul style="list-style-type: none"> • Medical grade foam mattress for pressure redistribution • Reversible from head to foot • Lightweight, easy-to-clean, 'wipeable' cover

UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM

**SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS
 OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG
 HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH**

	<ul style="list-style-type: none"> • Fluid resistant, leak proof fabric protects the surface from fluid penetration
	<ul style="list-style-type: none"> • Anti-skid bottom helps to keep the mattress in place on the bed
	<ul style="list-style-type: none"> • EPA-registered anti-microbial agent in form for protection from odor-causing bacteria
	<ul style="list-style-type: none"> • Surface designed for acute care as well for extended care
	<ul style="list-style-type: none"> • Firm support base; 1.8 PCF -1.9 PCF
	<ul style="list-style-type: none"> • Firm support base: 36 ILD; Density 1.8 PCF
	<ul style="list-style-type: none"> • Thickness (Height): 6" – 7"
	<ul style="list-style-type: none"> • Fire barrier included in all surfaces.
	<ul style="list-style-type: none"> • Fire safety standards: Cal 129, CPSC 16CFR1633, Boston IX-II to comply with international standards.
	<ul style="list-style-type: none"> • MVP: 300 gm/ sqm/ 24 hrs
	<ul style="list-style-type: none"> • Polyurethane coated nylon ticking to protect the mattress
	<ul style="list-style-type: none"> • Latex-free to reduce possible allergic reactions
	<ul style="list-style-type: none"> • PVC-free to reduce possible allergic reactions
	<ul style="list-style-type: none"> • DEHP-free to reduce possible allergic reactions
	<ul style="list-style-type: none"> • Mattress (foam components) compressibility tested life: 5 years

**UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM**

**SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS
OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG
HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH**

	SECTION II - PROCUREMENT REQUIREMENT
MODEL AND BRAND	<ul style="list-style-type: none"> • State Model and Brand of Equipment.
COUNTRY OF ORIGIN	<ul style="list-style-type: none"> • State Country of Origin.
PRICE (CIF) B\$	<ul style="list-style-type: none"> • State Unit and Total Price Offered.
WHERE MARKETED	<ul style="list-style-type: none"> • Specify in which other countries the equipment marketed.
YEAR MANUFACTURED	<ul style="list-style-type: none"> • State year of equipment manufactured.
WARRANTY	<ul style="list-style-type: none"> • State number of years.
DELIVERY TIME	<ul style="list-style-type: none"> • Not more than two months.
PRICE VALIDITY	<ul style="list-style-type: none"> • State number of weeks.

**UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM**

**SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS
OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG
HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH**

	TECHNICAL SPECIFICATIONS/REQUIREMENTS
POWER REQUIREMENT:	<ul style="list-style-type: none"> • Mains Supply 240VAC 50 Hz.
EQUIPMENT AMBIENT OPERATING TEMPERATURE RANGE:	<ul style="list-style-type: none"> • State equipment ambient operating temperature range.
INTERNATIONAL SAFETY STANDARD:	<ul style="list-style-type: none"> • The equipment must comply to either one of the five international safety standard, namely; US FDA Standard, European Union CE MARK, Australian TGA Standard, Canadian CSA Standard or Japanese JIS Standard.
TECHNICAL SUPPORT:	<ul style="list-style-type: none"> • State number of locally stationed engineers/technicians and the nearest overseas support.
DIMENSIONS:	<ul style="list-style-type: none"> • State overall dimensions of equipment.
WEIGHT:	<ul style="list-style-type: none"> • State nett weight of the equipment.
EQUIPMENT WHOLE LIFE TIME SUPPORT:	<ul style="list-style-type: none"> • Supplier must guarantee spare parts are available at least for 10 years after the installation of the equipment.
SITE REQUIREMENT:	<ul style="list-style-type: none"> • Floor Hacking, piping, Electrical Connections, etc.
BROCHURE:	<ul style="list-style-type: none"> • Tenderers must submit with their offer, a detailed brochure which supports the information the tenderer has entered in the "form-to-be-used (FORM B)" for reference.
USER AND SERVICE MANUALS:	<ul style="list-style-type: none"> • Two hard copies and one soft copy [PDF FORMAT] to be submitted to BME office during commissioning.

UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH

<p style="text-align: center;">SPARE-PARTS AND CONSUMABLES LISTINGS:</p>	<ul style="list-style-type: none"> • Comprehensive spare-parts and consumables listings in the form of softcopy must be provided. Listing must have the following details; Part Number and Part Description.
<p style="text-align: center;">WARRANTY PLANNED PREVENTIVE MAINTENANCE:</p>	<ul style="list-style-type: none"> • Minimum of two times PPM per year during the equipment warranty, six months after the date of commissioning and at the end of warranty period.
<p style="text-align: center;">TRAINING:</p> <p style="text-align: center;">AT MANUFACTURER'S PREMISES:</p> <p style="text-align: center;">ON-SITE:</p>	<ul style="list-style-type: none"> • Tenderers are required to conduct technical training to Biomedical Engineers and Technicians. • Training to be conducted at the manufacturer's training premises / facilities. Tenderers are required to; <ul style="list-style-type: none"> • Provide air tickets, accommodation, transportation, etc. for 2 persons. • Provide training for 2 persons. • Minimum no. of days for training – 3 days. • Training to be conducted locally, tenderers are required to : <ul style="list-style-type: none"> • Provide training materials, test equipment, demo equipments, etc. • Provide training to two groups of technical staffs. • Provide 2 days (minimum) of training for each group. • Training to be conducted at allocated site

**UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM**

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH

	USER REQUIREMENTS	YES	NO	(IF 'NO') Please State Alternative Offer
STANDARD FEATURES:				
	<ul style="list-style-type: none"> • One step head-board removal 			
	<ul style="list-style-type: none"> • Instant CPR release 			
	<ul style="list-style-type: none"> • Electrical operation for all functions such as: <ul style="list-style-type: none"> ➢ Bed high-low ➢ Head (back rest) articulation ➢ Knee (foot rest) articulation ➢ Auto contour (head & knee together moving function) ➢ Trendelenburg and reverse trendelenburg with controls on both sides and at the foot-end. 			
	<ul style="list-style-type: none"> • Battery back-up 			
	<ul style="list-style-type: none"> • Caregiver articulation lockout controls. 			
	<ul style="list-style-type: none"> • Trendelenburg and reverse trendelenburg at 13° 			
	<ul style="list-style-type: none"> • Head section (back rest) articulation: 0 to 72.5° 			
	<ul style="list-style-type: none"> • Knee section (foot rest) articulation: 0 to 25° 			
	<ul style="list-style-type: none"> • Angle indicator for trendelenburg & reverse trendelenburg 			
	<ul style="list-style-type: none"> • Standard sleep deck: <ul style="list-style-type: none"> ➢ Width: 105 - 110 cm ➢ Length: 225 - 228 cm 			
	<ul style="list-style-type: none"> • Frame width: 90 - 99 cm 			
	<ul style="list-style-type: none"> • Controls on both side rail for the patient & another control at the foot-end for user 			

**UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM**

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH

	<ul style="list-style-type: none"> • Mobile 5" casters 			
	<ul style="list-style-type: none"> • 4-Position IV pole mounts 			
	<ul style="list-style-type: none"> • Headboard and footboard with push handles 			
	<ul style="list-style-type: none"> • Zero transfer gap 			
	<ul style="list-style-type: none"> • Retracting siderails for easy patient transfer 			
	<ul style="list-style-type: none"> • Standard sleep deck – 90" 			
	<ul style="list-style-type: none"> • Complies with International Quality and Safety Standards such as <ul style="list-style-type: none"> - IEC 60601-1 Medical Electrical Equipment for Safety - IEC 60601-1-2 Top level standard for Electromagnetic compatibility - IEC 60601-2-38 For Safety of the Bed such as Construction, Mechanical Strength Mechanical Hazards, Protection against Ingress of Fluid - UL60601 Base Standard for Electro-medical Equipment - IPX 4 Level of Protection against Ingress of Fluid 			
MATTRESS FEATURES:	<ul style="list-style-type: none"> • Medical grade foam mattress for pressure redistribution 			
	<ul style="list-style-type: none"> • Reversible from head to foot 			
	<ul style="list-style-type: none"> • Lightweight, easy-to-clean, 'wipeable' cover 			
	<ul style="list-style-type: none"> • Fluid resistant, leak proof fabric protects the surface from fluid penetration 			
	<ul style="list-style-type: none"> • Anti-skid bottom helps to keep the mattress in place on the bed 			
	<ul style="list-style-type: none"> • EPA-registered anti-microbial agent in form for protection from odor-causing bacteria 			
	<ul style="list-style-type: none"> • Surface designed for acute care as well for extended care 			
	<ul style="list-style-type: none"> • Firm support base; 1.8 PCF -1.9 PCF 			
	<ul style="list-style-type: none"> • Firm support base: 36 ILD; Density 1.8 PCF 			
	<ul style="list-style-type: none"> • Thickness (height): 6" – 7" 			
	<ul style="list-style-type: none"> • Fire barrier included in all surfaces. 			
	<ul style="list-style-type: none"> • Fire safety standards: Cal 129, CPSC 16CFR1633, Boston IX-II to comply with international standards. 			

**UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM**

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH

	<ul style="list-style-type: none"> • MVP: 300 gm/ sqm/ 24 hrs 			
	<ul style="list-style-type: none"> • Polyurethane coated nylon ticking to protect the mattress 			
	<ul style="list-style-type: none"> • Latex-free to reduce possible allergic reactions 			
	<ul style="list-style-type: none"> • PVC-free to reduce possible allergic reactions 			
	<ul style="list-style-type: none"> • DEHP-free to reduce possible allergic reactions 			
	<ul style="list-style-type: none"> • Mattress (foam components) compressibility tested life: 5 years 			

**UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM**

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH

	SECTION II - PROCUREMENT REQUIREMENT	
BRAND AND MODEL OF EQUIPMENT:		
COUNTRY OF ORIGIN:		
PRICE (CIF) B\$	UNIT PRICE (B\$ CIF):	TOTAL PRICE (B\$ CIF):
WHERE MARKETED:		
YEAR MANUFACTURED:		
WARRANTY:		
DELIVERY TIME:		
PRICE VALIDITY:		

**UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM**

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH

SECTION III - TECHNICAL REQUIREMENTS	
MAINS POWER SUPPLY:	
EQUIPMENT AMBIENT OPERATING TEMPERATURE RANGE:	
BATTERY BACKUP:	
INTERNATIONAL SAFETY STANDARD:	
TECHNICAL SUPPORT:	
DIMENSIONS (mm):	
WEIGHT (in kg):	
EQUIPMENT WHOLE LIFE TIME SUPPORT:	Number of years, spare parts are available after the installation of the equipment: _____ years

**UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM**

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH

		YES	NO
BROCHURE:	Detailed brochure submitted?		
USER MANUALS:	Tenderers must supply during commissioning, three sets of user manuals, one set must be in the form of soft copy. (PDF Format)		
SERVICE MANUALS:	Tenderers must supply during commissioning, three sets of service manuals, one set must be in the form of soft copy. (PDF Format).		
SPARE-PARTS AND CONSUMABLES LISTINGS:	Tenderers must supply during commissioning, a comprehensive list of equipment spare-parts and consumables in the form of soft copy (e.g.: Microsoft EXCEL). The listing must have the following details; <ul style="list-style-type: none"> • Part Number • Part Description 		
WARRANTY PLANNED PREVENTIVE MAINTENANCE:	Tenderers must carry-out a minimum of two times PPM per year during the equipment warranty, starting six months after the date of commissioning.		

**UNIT TAWARAN
KEMENTERIAN KESIHATAN
NEGARA BRUNEI DARUSSALAM**

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING SEVEN (7) UNITS OF ELECTRIC PATIENT BED FOR NEW BLOCK SILVER JUBILEE SENGKURONG HEALTH CENTRE, DEPARTMENT OF HEALTH SERVICES, MINISTRY OF HEALTH

TECHNICAL TRAINING:	Tenderers to conduct training to Biomedical Engineers and Technicians.		
ON-SITE:	<ul style="list-style-type: none"> • Training to be conducted locally, tenderers are required to : <ul style="list-style-type: none"> • Provide training materials, test equipment, demo equipments, etc. • Provide training to two groups of technical staffs. • Provide 2 days (minimum) of training for each group. • Training to be conducted at allocated site 		
AT MANUFACTURER'S SITE:	<ul style="list-style-type: none"> • Training to be conducted at the manufacturer's training premises / facilities. Tenderers are required to; <ul style="list-style-type: none"> • Provide air tickets, accommodation, transportation, etc. for 2 persons. • Provide training for 2 persons. • Minimum no of days for training – 3 days. 		