

REFERENCE OF TENDER	DESCRIPTION OF TENDER	TIME PERIOD OF TENDER	DEPARTMENT/ DIVISION/UNIT REQUESTING TENDER	FEES	CLOSING DATE NOT LATER THAN 2.00PM	FOCAL PERSON
KK/144/2025/SSBH)	SUPPLY, DELIVERY , INSTALLATION, TESTING AND COMMISSIONING WASHER DISINFECTOR FOR CSSD, SURI SERI BEGAWAN (SSB) HOSPITAL		SURI SERI BEGAWAN KUALA BELAIT HOSPITAL	\$30.00	10 TH JUNE 2025	Muhd Amirul Fazleen bin Haji Khalidin Biomedical Engineer Suri Seri Begawan Hospital (SSBH) Ministry of Health Negara Brunei Darussalam Estet Management & Project Development Ministry of Health Negara Brunei Darussalam Contact No.: 3335331 ext. 4222

TENDER REFERENCE NO.:KK/144/2025/SSBH

**MINISTRY OF HEALTH
NEGARA BRUNEI DARUSSALAM**

**SUPPLY, DELIVERY , INSTALLATION, TESTING AND
COMMISSIONING WASHER DISINFECTOR FOR CSSD,
SURI SERI BEGAWAN (SSB) HOSPITAL**

TENDER FEES : \$30.00

RECEIPT NO. :

CLOSING DATE : ON TUESDAY, 10TH MAY 2025

TIME : 2.00 PM

FOA :

**THE CHAIRMAN
MINI TENDER BOARD, TENDER BOX
GROUND FLOOR, MINISTRY OF HEALTH
COMMONWEALTH DRIVE
BANDAR SERI BEGAWAN BB3910
NEGARA BRUNEI DARUSSALAM**

(CLUSTERING)

SECTION 2

SPECIFICATIONS AND REQUIREMENTS

TENDER REFERENCE NO: KK/144/2025/SSBH

INVITATION TO TENDER
SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING WASHER
DISINFECTOR FOR CSSD, SURI SERI BEGAWAN (SSB) HOSPITAL

SECTION 1 – USER REQUIREMENTS	
REF. NO.	DESCRIPTION
1	ONE (1) UNIT OF WASHER DISINFECTOR
2	STANDARD FEATURES
3	ADDITIONAL REQUIREMENTS
4	WARRANTY
5	END USER TRAINING
6	TECHNICAL TRAINING

REF. NO.	DESCRIPTION
1	ONE (1) UNIT OF WASHER DISINFECTOR
1	One (1) unit of washer disinfector suitable for cleaning surgical instruments, anaesthesia equipment, holloware, theatre shoes and others at Central Sterile Supply Department (CSSD), Suri Seri Begawan (SSB) Hospital, Kuala Belait
2	STANDARD FEATURES
1	Uses thermal and chemical disinfection
2	Perform as a disinfector, decontaminator and drying unit
3	Capacity can cater up to 18 DIN trays
4	Double door (pass-through) configuration
5	Automatic sliding glass double door with safety lock
6	Adjustable microprocessor control with display
7	Pre-programmed cycles
8	Electrical heated and high-pressure air-drying unit
9	Utilise filtered air drying
10	Chamber is made up of high quality austenitic stainless steel

REF. NO.	DESCRIPTION
11	Equip with water washing arm/impeller for better cleaning
12	Ability to display status and process progress through LED or display
13	Water docking from below
14	Docking feature for transport trolley
15	Accessible from all sides for loading and unloading
16	At least two (2) dosing pumps for washing, neutralizing and polishing detergent
17	Option for a Fast cycle (clean-disinfect-drying) with processing time of less than 35 minutes or better
18	Compliance to EN ISO 15883-1/-2
19	Emergency stop button for immediate shut down
20	Integrated printer for printing records of each cycle performance.
21	Electronically controlled water level control
22	Empty indicator for chemical container
23	Disinfection to be run with A> 3000
24	Complete with the following accessories:
24.1	Two (2) sets of transport trolley
24.2	One (1) set of rack to accommodate 18 DIN instrument trays
24.3	One (1) set of anaesthesia rack with tube rack
24.4	Eighteen (18) sets of basket moulded DIN tray 1/1 for instruments and small utensils
24.5	One (1) set of tray for small anaesthesia instrument parts
24.6	One (1) set of insert for kidney dishes
24.7	One (1) set of insert for trays
24.8	One (1) set of large size basket without cover for bulky instruments
24.9	Any universal insert with pins for fixing glasses and utensil brackets
24.10	Any other necessary standard accessories to maximise use of the washer disinfectant
102	Tenderer to provide a separate quote consisting of one unit of each accessories above for any additional purchase in the near future with price validity of one (1) year after this tender closing date. Tenderer may also include pricing of other accessories or consumables not listed above.
3	ADDITIONAL REQUIREMENTS
1	Tenderer is required to do a site visit and include and attached a proposal layout plan

REF. NO.	DESCRIPTION
2	Tenderer to dismantle existing washer disinfectant at CSSD and relocate it to a location set by Hospital Management after awarded.
3	Tenderer to include all cost associated with the necessary installation materials including hacking, minor renovation, piping, electrical wiring and other related matter.
4	Tenderer to ensure gaps between machine and walls are seal with stainless steel panels
5	Tenderer to rectify any minor defects cause during uninstalling and installing.
4	WARRANTY
1	Tenderer to include warranty period of at least two (2) years for both hardware and software
2	Tenderers to ACKNOWLEDGE the Warranty Undertaking Form in Section 4 stating the terms of warranty provided for the equipment in the tender for the period of two years. This includes but not limited to:
2.1	Scope of Warranty
2.2	One time Planned Preventive Maintenance per year during warranty in accordance to Manufacturer's Standard
2.3	Comprehensive Breakdown and Corrective maintenance repair during warranty
5	END USER TRAINING
1	Conduct user training to the all-end users by an application specialist or competent local engineer including but not limited to:
1.1	Basic user operation, user troubleshooting and user maintenance
1.2	Provide Operating manual (Hardcopy and/or Softcopy)
1.3	Tenderer must prepare a training attendance or proof of training done to end user during commissioning and the refresher course (6) months after commissioning.
6	TECHNICAL TRAINING
1	Introductory Technical Training to Biomedical Engineers and Technicians at BME Office by competent Tenderer's Engineer/Technicians that includes but not limited to: <ul style="list-style-type: none"> ▪ Troubleshooting and basic corrective maintenance ▪ Handling and basic inspection maintenance *(Two sessions/groups if required)

SECTION 2 - PRICE PROPOSAL	
UNIT PRICE: BND\$	TOTAL PRICE: BND\$

SECTION 3 - PROCUMENT AND TECHNICAL SPECIFICATION
BRAND:
COUNTRY OF ORIGIN:
WARRANTY PERIOD:
YEAR INTRODUCED TO MARKET:
PRICE VALIDITY: [AT LEAST ONE (1) YEAR PRICE VALIDTY]
AUTHORIZED DISTRIBUTOR: (AUTHORIZED DISTRIBUTOR LETTER ATTACHED)
DETAILED BROCHURE INCLUDED
USER AND SERVICE MANUALS:
MAINS POWER SUPPLY:
BATTERY:
POWER ADAPTER/CHARGER OUTPUT RATING:
EQUIPMENT AMBIENT OPERATING TEMPERATURE RANGE:
NUMBER OF TECHNICAL SUPPORT (ENGINEER/TECHNICIAN) Please provide training or certification for locals who is trained/certified
DIMENSIONS AND WEIGHT OF MAIN UNIT:
EQUIPMENT WHOLE LIFE TIME SUPPORT:

SECTION 4 – WARRANTY UNDERTAKING FORM

Tenderer, on behalf of the manufacturer, acknowledged and agrees that when equipment is under the warranty period, must cover the scope of normal warranty below at no additional cost:

NORMAL WARRANTY

- Warrants the supplied medical equipment and its accessories to be in good condition, in working order and free from defects to the extent such equipment do not comply with specifications, under normal use for the warranty period. The scope of warranty covers to its maximum extent permitted by applicable law.
- During warranty, tenderer must rectify issues arise from any mechanical, technical or software faulty as soon as it is reported.
- **Exchange warranty;** Providing replacement units or OEM parts:
 - A. Warranty against defects – Manufacturing defects or Equipment malfunction resulted from mechanical, electrical or software failure during Commissioning or within the first _____ months of use
 - B. Faulty workmanship or unsatisfactory condition during delivery or commissioning
 - C. If a unit or accessory is deemed used item or refurbished item (not a new unit) by the user and BME Unit.
- _____ **time Planned Preventive Maintenance (PPM) PER YEAR** according to Manufacturer's Preventive Maintenance Guideline including PM kits and any other relevant parts to prolong equipment lifespan.

EXCLUSION FROM WARRANTY

MOH understand that the following circumstances are not covered in the warranty and Tenderer may quote for repair and subject to MOH approval:

- Unauthorized modifications - an alteration or repair by anyone other than the Manufacturer or Authorized agent during warranty period.
- Accidental damage or problems caused by negligence or mishandling, subject to appropriate justification by both parties.
- Vandalism and Natural disasters
- Normal wear and tear

CONTENTS

SECTION 1 – USER REQUIREMENTS.....	Error! Bookmark not defined.
1. ONE (1) UNIT OF WASHER DISINFECTOR	Error! Bookmark not defined.
2. STANDARD FEATURES	Error! Bookmark not defined.
3. ADDITIONAL REQUIREMENTS	Error! Bookmark not defined.
4. WARRANTY.....	Error! Bookmark not defined.
5. END USER TRAINNING.....	Error! Bookmark not defined.
6. TECHNICAL TRAINNING	Error! Bookmark not defined.
SECTION 2 – PRICE PROPOSAL	5
SECTION 3 - PROCUMENT AND TECHNICAL SPECIFICATION.....	Error! Bookmark not defined.
SECTION 4 – WARRANTY UNDERTAKING FORM.....	Error! Bookmark not defined.

SECTION 3

TENDER FORM

To:

TENDER REFERENCE NO: KK/144/2025/SSBH

INVITATION TO TENDER
SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING WASHER
DISINFECTOR FOR CSSD, SURI SERI BEGAWAN (SSB) HOSPITAL

TENDER OF (*name of tenderer*) : _____

Company/Business Registration No. : _____

Tender Closing Date : _____

SECTION 1 – USER REQUIREMENTS				
REF. NO.	DESCRIPTION	Tick (✓)		STATE OR SPECIFY OR REMARKS OR BROCHURE PAGE
		YES	NO	
1	ONE (1) UNIT OF WASHER DISINFECTOR			
2	STANDARD FEATURES			
3	ADDITIONAL REQUIREMENTS			
4	WARRANTY			
5	END USER TRAINING			
6	TECHNICAL TRAINING			

REF. NO.	DESCRIPTION	Tick (✓)		STATE OR SPECIFY OR REMARKS OR BROCHURE PAGE
		Y	N	
1	ONE (1) UNIT OF WASHER DISINFECTOR			
1	One (1) unit of washer disinfector suitable for cleaning surgical instruments, anaesthesia equipment, holloware, theatre shoes and others at Central Sterile Supply Department (CSSD), Suri Seri Begawan (SSB) Hospital, Kuala Belait			
2	STANDARD FEATURES			
1	Uses thermal and chemical disinfection			
2	Perform as a disinfector, decontaminator and drying unit			
3	Capacity can cater up to 18 DIN trays			
4	Double door (pass-through) configuration			
5	Automatic sliding glass double door with safety lock			
6	Adjustable microprocessor control with display			
7	Pre-programmed cycles			
8	Electrical heated and high-pressure air-drying unit			
9	Utilise filtered air drying			
10	Chamber is made up of high quality austenitic stainless steel			
11	Equip with water washing arm/impeller for better cleaning			
12	Ability to display status and process progress through LED or display			
13	Water docking from below			
14	Docking feature for transport trolley			
15	Accessible from all sides for loading and unloading			
16	At least two (2) dosing pumps for washing, neutralizing and polishing detergent			
17	Option for a Fast cycle (clean-disinfect-drying) with processing time of less than 35 minutes or better			
18	Compliance to EN ISO 15883-1/-2			
19	Emergency stop button for immediate shut down			
20	Integrated printer for printing records of each cycle performance.			
21	Electronically controlled water level control			

REF. NO.	DESCRIPTION	Tick (✓)		STATE OR SPECIFY OR REMARKS OR BROCHURE PAGE
		Y	N	
22	Empty indicator for chemical container			
23	Disinfection to be run with A> 3000			
24	Complete with the following accessories:			
24.1	Two (2) sets of transport trolley			
24.2	One (1) set of rack to accommodate 18 DIN instrument trays			
24.3	One (1) set of anaesthesia rack with tube rack			
24.4	Eighteen (18) sets of basket moulded DIN tray 1/1 for instruments and small utensils			
24.5	One (1) set of tray for small anaesthesia instrument parts			
24.6	One (1) set of insert for kidney dishes			
24.7	One (1) set of insert for trays			
24.8	One (1) set of large size basket without cover for bulky instruments			
24.9	Any universal insert with pins for fixing glasses and utensil brackets			
24.10	Any other necessary standard accessories to maximise use of the washer disinfector			
102	Tenderer to provide a separate quote consisting of one unit of each accessories above for any additional purchase in the near future with price validity of one (1) year after this tender closing date. Tenderer may also include pricing of other accessories or consumables not listed above.			
3	ADDITIONAL REQUIREMENTS			
1	Tenderer is required to do a site visit and include and attached a proposal layout plan			
2	Tenderer to dismantle existing washer disinfector at CSSD and relocate it to a location set by Hospital Management after awarded.			
3	Tenderer to include all cost associated with the necessary installation materials including hacking, minor renovation, piping, electrical wiring and other related matter.			
4	Tenderer to ensure gaps between machine and walls are seal with stainless steel panels			
5	Tenderer to rectify any minor defects cause during uninstalling and installing.			
4	WARRANTY			
1	Tenderer to include warranty period of at least two (2) years for both hardware and software			

REF. NO.	DESCRIPTION	Tick (✓)		STATE OR SPECIFY OR REMARKS OR BROCHURE PAGE
		Y	N	
2	Tenderers to ACKNOWLEDGE the Warranty Undertaking Form in Section 4 stating the terms of warranty provided for the equipment in the tender for the period of two years. This includes but not limited to:			
2.1	Scope of Warranty			
2.2	One time Planned Preventive Maintenance per year during warranty in accordance to Manufacturer's Standard			
2.3	Comprehensive Breakdown and Corrective maintenance repair during warranty			
5	END USER TRAINNING			
1	Conduct user training to the all-end users by an application specialist or competent local engineer including but not limited to:			
1.1	Basic user operation, user troubleshooting and user maintenance			
1.2	Provide Operating manual (Hardcopy and/or Softcopy)			
1.3	Tenderer must prepare a training attendance or proof of training done to end user during commissioning and the refresher course (6) months after commissioning.			
6	TECHNICAL TRAINNING			
1	Introductory Technical Training to Biomedical Engineers and Technicians at BME Office by competent Tenderer's Engineer/Technicians that includes but not limited to: <ul style="list-style-type: none"> ▪ Troubleshooting and basic corrective maintenance ▪ Handling and basic inspection maintenance *(Two sessions/groups if required)			

SECTION 2 - PRICE PROPOSAL	
UNIT PRICE: BND\$	TOTAL PRICE: BND\$

SECTION 3 - PROCUMENT AND TECHNICAL SPECIFICATION						
BRAND:		MODEL:				
COUNTRY OF ORIGIN:		UNIT PRICE (B\$):				
WARRANTY PERIOD:		TOTAL PRICE (B\$):				
YEAR INTRODUCED TO MARKET:		LAST COUNTRY SOLD TO:				
PRICE VALIDITY: [AT LEAST ONE (1) YEAR PRICE VALIDTY]		DELIVERY TIME:				
AUTHORIZED DISTRIBUTOR: (AUTHORIZED DISTRIBUTOR LETTER ATTACHED)		APPOINTED BRUNEI DISTRIBUTOR				
		PROCURE FROM OVERSEA AUTHORIZED DISTRIBUTOR	COMPANY NAME:			
			COMPANY ORIGIN:			
DETAILED BROCHURE INCLUDED		YES		NO	<input checked="" type="checkbox"/> or specify where appropriate	
USER AND SERVICE MANUALS:		YES		NO	Tenderers to acknowledge that they must provide at least TWO sets of USER AND SERVICE manuals when applying commissioning form. One Set for End User, One Set for BME. (Please provide hardcopy or softcopy)	
MAINS POWER SUPPLY:		220V-240V		OTHERS:		
		50-60HZ		OTHERS:		
BATTERY:		RECHARGEABLE		SINGLE-USE		REPLACEABLE
		OTHERS:				
	TYPE OF BATTERY:					
	RATING:					
POWER ADAPTER/CHARGER OUTPUT RATING:						
EQUIPMENT AMBIENT OPERATING TEMPERATURE RANGE:						
NUMBER OF TECHNICAL SUPPORT (ENGINEER/TECHNICIAN) Please provide training or certification for locals who is trained/certified	LOCAL			Trained / Certified Not yet trained on the product		
	OVERSEA (SPECIFY LOCATION)		NEAREST LOCATION:			
DIMENSIONS AND WEIGHT OF MAIN UNIT:		<input type="checkbox"/> mm <input type="checkbox"/> cm <input type="checkbox"/> inch			<input type="checkbox"/> Kilogram (Kg) <input type="checkbox"/> Gram(g) <input type="checkbox"/> Pound (lbs)	
EQUIPMENT WHOLE LIFE TIME SUPPORT:	The supplier shall ensure that spare parts for the equipment are available for a minimum of 8 years after installation, with the support period extending beyond the expected lifecycle of the equipment. No. of years: _____ (Please specify)					

SECTION 4 – WARRANTY UNDERTAKING FORM

Tenderer, on behalf of the manufacturer, acknowledged and agrees that when equipment is under the warranty period, must cover the scope of normal warranty below at no additional cost:

NORMAL WARRANTY

- Warrants the supplied medical equipment and its accessories to be in good condition, in working order and free from defects to the extent such equipment do not comply with specifications, under normal use for the warranty period. The scope of warranty covers to its maximum extent permitted by applicable law.
- During warranty, tenderer must rectify issues arise from any mechanical, technical or software faulty as soon as it is reported.
- **Exchange warranty;** Providing replacement units or OEM parts:
 - A. Warranty against defects – Manufacturing defects or Equipment malfunction resulted from mechanical, electrical or software failure during Commissioning or within the first _____ months of use
 - B. Faulty workmanship or unsatisfactory condition during delivery or commissioning
 - C. If a unit or accessory is deemed used item or refurbished item (not a new unit) by the user and BME Unit.
- _____ **time Planned Preventive Maintenance (PPM) PER YEAR** according to Manufacturer's Preventive Maintenance Guideline including PM kits and any other relevant parts to prolong equipment lifespan.

EXCLUSION FROM WARRANTY

MOH understand that the following circumstances are not covered in the warranty and Tenderer may quote for repair and subject to MOH approval:

- Unauthorized modifications - an alteration or repair by anyone other than the Manufacturer or Authorized agent during warranty period.
- Accidental damage or problems caused by negligence or mishandling, subject to appropriate justification by both parties.
- Vandalism and Natural disasters
- Normal wear and tear

ANY OTHER EXCLUSION

Tenderer may propose below to include items or terms which is not listed in the exclusion list above for MOH consideration.

TENDERER ACKNOWLEDGMENT

COMPANY CHOP AND SIGNATURE

1. We offer and undertake on your acceptance of our Tender to provide the above-mentioned services in accordance with your Invitation To Tender.
2. Our Tender is fully consistent with and does not contradict or derogate from anything in your Invitation To Tender. We have not qualified or changed any of the provisions of your Invitation To Tender.
3. OUR OFFER IS VALID FOR **TWELVE (12)** CALENDAR MONTHS FROM THE TENDER CLOSING DATE.
4. When requested by you, we shall extend the validity of this offer.
5. We further undertake to give you any further information which you may require.

Dated this _____ day of _____, 2025.

Signature of authorised officer of Tenderer

Name:

Designation:

Tenderer's official stamp