## Rujukan Kami: (88) MOH/HQ/P/IKLAN-SH/2025

## LAMPIRAN 2

BIL	Quotation Reference	Description	Advertisement Date	Closing Date (Not Later Than 09.00AM)	Quotation Fee	Requesting Department
2	(73) PSD/QTN/2025 – (SSBH)	SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING PEDIATRIC ICU BED FOR WARD 15, SURI SERI BEGAWAN (SSB) HOSPITAL, MINISTRY OF HEALTH (NON- CLUSTERING).	16/06/2025	05/07/2025	\$5.00	SURI SERI BEGAWAN HOSPITAL KUALA BELAIT, KEMENTERIAN KESIHATAN.

### Contents

SECTION 1 – USER REQUIREMENTS	1
1. TWO (2) UNITS OF PEDIATRIC ICU BED	1
2. FEATURES	2
3. WARRANTY	3
4. END USER TRAINNING	3
SECTION 2 – PRICE PROPOSAL	3
SECTION 3 - PROCUMENT AND TECHNICAL SPECIFICATION	4
SECTION 4 – WARRANTY UNDERTAKING FORM	5

SEC	SECTION 1 – USER REQUIREMENTS								
			(√)	STATE OR SPECIFY OR					
REF	DESCRIPTION	YES	NO	REMARKS OR BROCHURE PAGE					
1	TWO (2) UNITS OF PEDIATRIC ICU BED								
2	FEATURES								
3	WARRANTY								
4	END USER TRAINING								

1. TW	O (2) UNITS OF PEDIATRIC ICU BED	Υ	N	
1	ONE (1) UNIT OF COT/CAGE TYPE PEDIATRIC BED			
2	ONE (1) UNIT OF ICU TYPE PEDIATRIC BED			

2. FEATURES									
REF	DESCRIPTION		ck /)	STATE OR SPECIFY OR REMARKS OR BROCHURE					
		Υ	N	PAGE					
1	ONE (1) UNIT OF COT/CAGE TYPE PEDIATRIC BED								
1.1	High sliding side rail with adjustable position.								
1.2	Height of side rail at least 50cm or higher								
1.3	Utility storage shelves and oxygen tank storage below bed								
1.4	Comes with lockable 5-inch castors								
1.5	Maximum load capacity can withstand 100kg or better								
1.6	Back section adjustment can go up to 45° or better								
1.7	Foot section adjustment can go up to 20° or better								
1.8	Comes with stainless steel IV pole								
1.9	Comes with holder for x-ray cassette								

2	ONE (1) UNIT OF ICU TYPE PEDIATRIC BED	
2.1	Electrically operated backrest and height adjustment	
2.2	Four motors for four sections	
2.3	Can be position for fowler and vascular positions	
2.4	Can be used for a safe working load of 100kg or better	
2.5	Electrostatic powder coated steel main frame	
2.6	Comes with protective bumpers at all corners	
2.7	Comes with four-piece fold-away side rails	
2.8	Manual lever for CPR release	
2.9	Backrest can be inclined	
2.10	Trendelenburg and Reverse Trendelenburg capability up to 13° or better	
2.11	Comes with hand controller and control panel at foot-end or side rails	
2.12	Comes with holder for x-ray cassette	
2.13	Four central lockable wheels with diameter of 125mm or better	
2.14	Minimum adjustable height can reach 45cm or lower	Please specify min height:
2.15	Maximum adjustable height can reach 70cm or higher	Please specify max height:
2.16	Suitable mattress with reasonable thickness	Please specify thickness:
2.17	Mattress material: Easy to clean	Please specify material:

3. WARRANTY								
1	Tenderer to include warranty period of at least two (2) years							
2	Tenderers to <b>acknowledge</b> the Warranty Undertaking Form in Section 4 stating the terms of warranty provided for the equipment in the tender for the period of two years.							

4. END USER TRAINNING										
	Conduct user training to the all-end users by an application specialist or									
	competent local engineer including but not limited to:									
1	Basic user operation, user troubleshooting and user maintenance									
	<ul> <li>Provide Operating manual (Hardcopy and/or Softcopy)</li> </ul>									
	Tenderer must prepare a training attendance or proof of training done to									
2	end user during commissioning and the refresher course (6) months after									
	commissioning.									

SECTION 2 – PRICE PROPOSAL						
UNIT PRICE:	TOTAL PRICE:					
COT/CAGE PEDIATRIC BED: BND\$	BND\$					
ICU PEDIATRIC BED: BND\$						

SECTION 3 - PROCUMEN	TAN	ID TI	ECHI	NI	CAL SPE	CI	FICATION	NC			
	1.							1.			
BRAND:	2.		MODEL:		2.						
COUNTRY OF ORIGIN:					UNIT PRICE (B\$):						
WARRANTY PERIOD:					TOTAL PRICE	(B\$):					
YEAR INTRODUCED TO MARKET:					LAST COUNT	RY SO	LD TO:				
PRICE VALIDITY: [AT LEAST ONE (1) YEAR PRICE VALIDTY]					DELIVERY TIM	ME:					
ALITHODIZED DICTRIBUTOR.		APPOI	INTED B	BRU	NEI DISTRIBU	TOR					
AUTHORIZED DISTRIBUTOR:  (AUTHORIZED DISTRIBUTOR LETTER ATTACHED)					OVERSEA	-	IPANY NAME:				
			ORIZED	DI:	STRIBUTOR	COM	PANY ORIGIN:				
DETAILED BROCHURE INCLUDED		YES	$\vdash$		NO	Ton	And the second		ere appropriate		
USER AND SERVICE MANUALS:		YES		NO			Tenderers to acknowledge that they must provide at least TWO sets of USER AND SERVICE manuals when applying commissioning form. One Set for End User, One Set for BME. (Please provide hardcopy or softcopy)				
		220	V-240V	OTHERS:							
MAINS POWER SUPPLY:		50-60HZ OTHERS:									
		RECH	ARGEAE	BLE			SINGLE-U	ISE	REPLACEABLE		
		OTHE	RS:								
BATTERY	TYPE OF BATTERY:										
	RATING:										
POWER ADAPTER/CHARGER OUTPUT RATIN	G:										
EQUIPMENT AMBIENT OPERATING TEMPER	ATURE	RANGE									
NUMBER OF TECHNICAL SUPPORT (ENGINEER/TECHNICIAN)	LOCAL						Trained / Certified  Not yet trained on the product				
Please provide training or certification for locals who is trained/certified	OVERSEA (SPECIFY LOCATION)				NEAREST LOC		ATION:				
DIMENSIONS AND WEIGHT OF MAIN UNIT:			☐ m ☐ cn	n ch			<ul><li>Kilogram (Kg)</li><li>Gram(g)</li><li>Pound (lbs)</li></ul>				
EQUIPMENT WHOLE LIFE TIME SUPPORT:	The supplier shall ensure that spare parts for the equipment are available for a minimum of 8 years after installation, with the support period extending beyond the expected lifecycle of the equipment.  No of years: (Please specify)										

### SECTION 4 – WARRANTY UNDERTAKING FORM

Tenderer, on behalf of the manufacturer, acknowledged and agrees that when equipment is under the warranty period, must cover the scope of normal warranty below at no additional cost:

#### NORMAL WARRANTY

- Warrants the supplied medical equipment and its accessories to be in good condition, in
  working order and free from defects to the extend such equipment do not comply with
  specifications, under normal use for the warranty period. The scope of warranty covers to its
  maximum extent permitted by applicable law.
- During warranty, tenderer must rectify issues arise from any mechanical, technical or software faulty as soon as it is reported.
- Exchange warranty; Providing replacement units or OEM parts:
  - A. Warranty against defects Manufacturing defects or Equipment malfunction resulted from mechanical, electrical or software failure during Commissioning or within the first \_\_\_\_\_ months of use
  - B. Faulty workmanship or unsatisfactory condition during delivery or commissioning
  - C. If a unit or accessory is deemed used item or refurbished item (not a new unit) by the user and BME Unit.
- <u>time Planned Preventive Maintenance (PPM) PER YEAR</u> according to Manufacturer's Preventive Maintenance Guideline and to include one-time replacements of battery at the end of 2 years warranty period or any other relevant parts to prolong equipment lifespan.

#### **EXCLUSION FROM WARRANTY**

MOH understand that the following circumstances are not covered in the warranty and Tenderer may quote for repair and subject to MOH approval:

- Unauthorized modifications an alteration or repair by anyone other than the Manufacturer or Authorized agent during warranty period.
- Accidental damage or problems caused by negligence or mishandling, subject to appropriate
  justification by both parties.
- Vandalism and Natural disasters
- Normal wear and tear

#### **ANY OTHER EXCLUSION**

Tenderer may propose below to include items or terms which is not listed in the exclusion list above for MOH consideration.

#### TENDERER ACKNOWLEDGMENT

**COMPANY CHOP AND SIGNATURE**