

Rujukan Kami: **(109) MOH/HQ/P/IKLAN-SH/2025**

LAMPIRAN 7

BIL	Quotation Reference	Description	Advertisement Date	Closing Date (Not Later Than 09.00AM)	Quotation Fee	Requesting Department
7	(108) PSD/QTN/2025 – (SSBH)	SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING PORTABLE EXAMINATION LIGHT FOR SURI SERI BEGAWAN (SSB) HOSPITAL, MINISTRY OF HEALTH	04/08/2025	23/08/2025	\$5.00	HOSPITAL SURI SERI BEGAWAN, KUALA BELAIT, KEMENTERIAN KESIHATAN

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING PORTABLE EXAMINATION LIGHT FOR SURI SERI BEGAWAN (SSB) HOSPITAL, MINISTRY OF HEALTH (CLUSTERING).

Contents

SECTION 1 – USER REQUIREMENTS.....	1
1. TWENTY-THREE (23) UNITS OF PORTABLE EXAMINATION LIGHT	1
2. WARRANTY	2
3. END USER TRAINNING	2
4. TECHNICAL TRAINNING	2
SECTION 2 - PRICE PROPOSAL	2
SECTION 3 - PROCUMENT AND TECHNICAL SPECIFICATION	3
SECTION 4 – WARRANTY UNDERTAKING FORM	4

SECTION 1 – USER REQUIREMENTS				
REF	DESCRIPTION	Tick (✓)		STATE OR SPECIFY OR REMARKS OR BROCHURE PAGE
		YES	NO	
1	TWENTY-THREE (23) UNITS OF PORTABLE EXAMINATION LIGHT			
2	WARRANTY			
3	END USER TRAINING			
4	TECHNICAL TRAINING			

1. TWENTY-THREE (23) UNITS OF PORTABLE EXAMINATION LIGHT				
REF	DESCRIPTION	Tick (✓)		STATE OR SPECIFY OR REMARKS OR BROCHURE PAGE
		Y	N	
1.1	High intensity LED examination light			
1.2	Multi-LED light head			
1.3	Portable floor standing with four lockable wheels			
1.4	Tiltable and Rotatable light head			
1.5	Minimum luminance (lux) at least 40,000lux.			
1.6	Colour temperature (K) between 4000 to 5000K			
1.7	Tiltable light head - UP: up to 90°			
1.8	Tiltable light head – DOWN: up to 90°			
1.9	Rotatable light head – up to 270° horizontally			
1.10	CE and ISO certified (Please attach certification copy)			
1.11	240V Power Rating			

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING PORTABLE EXAMINATION LIGHT FOR SURI SERI BEGAWAN (SSB) HOSPITAL, MINISTRY OF HEALTH (CLUSTERING).

2. WARRANTY

2.1	Tenderer to include comprehensive warranty for a period of at least two (2) years including LED bulbs.			
2.2	Tenderers to ACKNOWLEDGE the Warranty Undertaking Form in Section 4 stating the terms of warranty provided for the equipment in the tender for the period of two years. This includes but not limited to:			
2.2.1	Scope of Warranty			
2.2.2	One time Planned Preventive Maintenance per year during warranty in accordance to Manufacturer's Standard			
2.2.3	Comprehensive Breakdown and Corrective maintenance repair during warranty			

3. END USER TRAINING

3.1	Conduct user training to the all-end users by an application specialist or competent local engineer including but not limited to:			
3.1.1	Basic user operation, user troubleshooting and user maintenance			
3.1.2	Provide Operating manual (Hardcopy and/or Softcopy)			
3.1.3	Tenderer must prepare a training attendance or proof of training done to end user during commissioning and the refresher course (6) months after commissioning.			

4. TECHNICAL TRAINING

4.1	Introductory Technical Training to Biomedical Engineers and Technicians at BME Office by competent Tenderer's Engineer/Technicians that includes but not limited to: <ul style="list-style-type: none"> • Troubleshooting and basic corrective maintenance • Handling and basic inspection maintenance *(Two sessions/groups if required)			
-----	--	--	--	--

SECTION 2 - PRICE PROPOSAL

UNIT PRICE: BND\$	TOTAL PRICE: BND\$
----------------------	-----------------------

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING PORTABLE EXAMINATION LIGHT FOR SURI SERI BEGAWAN (SSB) HOSPITAL, MINISTRY OF HEALTH (CLUSTERING).

SECTION 3 - PROCUMENT AND TECHNICAL SPECIFICATION

BRAND:		MODEL:	
COUNTRY OF ORIGIN:		UNIT PRICE (B\$):	
WARRANTY PERIOD:		TOTAL PRICE (B\$):	
YEAR INTRODUCED TO MARKET:		LAST COUNTRY SOLD TO:	
PRICE VALIDITY: [AT LEAST ONE (1) YEAR PRICE VALIDTY]		DELIVERY TIME:	
AUTHORIZED DISTRIBUTOR: (AUTHORIZED DISTRIBUTOR LETTER ATTACHED)	APPOINTED BRUNEI DISTRIBUTOR		
	PROCURE FROM OVERSEA AUTHORIZED DISTRIBUTOR		COMPANY NAME:
			COMPANY ORIGIN:
DETAILED BROCHURE INCLUDED	YES	NO	<input checked="" type="checkbox"/> or specify where appropriate
USER AND SERVICE MANUALS:	YES	NO	Tenderers to acknowledge that they must provide at least TWO sets of USER AND SERVICE manuals when applying commissioning form. One Set for End User, One Set for BME. (Please provide hardcopy or softcopy)
MAINS POWER SUPPLY:	220V-240V	OTHERS:	
	50-60HZ	OTHERS:	
BATTERY	RECHARGEABLE	SINGLE-USE	REPLACEABLE
	OTHERS:		
	TYPE OF BATTERY:		
	RATING:		
POWER ADAPTER/CHARGER OUTPUT RATING:			
EQUIPMENT AMBIENT OPERATING TEMPERATURE RANGE:			
NUMBER OF TECHNICAL SUPPORT (ENGINEER/TECHNICIAN)	LOCAL	<input type="checkbox"/> Trained / Certified <input type="checkbox"/> Not yet trained on the product	
Please provide training or certification for locals who is trained/certified	OVERSEA (SPECIFY LOCATION)	NEAREST LOCATION:	
DIMENSIONS AND WEIGHT OF MAIN UNIT:	<input type="checkbox"/> mm <input type="checkbox"/> cm <input type="checkbox"/> inch	<input type="checkbox"/> Kilogram (Kg) <input type="checkbox"/> Gram(g) <input type="checkbox"/> Pound (lbs)	
EQUIPMENT WHOLE LIFE TIME SUPPORT:	The supplier shall ensure that spare parts for the equipment are available for a minimum of 8 years after installation, with the support period extending beyond the expected lifecycle of the equipment. No of years: _____ (Please specify)		

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING PORTABLE EXAMINATION LIGHT FOR SURI SERI BEGAWAN (SSB) HOSPITAL, MINISTRY OF HEALTH (CLUSTERING).**SECTION 4 – WARRANTY UNDERTAKING FORM**

Tenderer, on behalf of the manufacturer, acknowledged and agrees that when equipment is under the warranty period, must cover the scope of normal warranty below at no additional cost:

NORMAL WARRANTY

- Warrants the supplied medical equipment and its accessories to be in good condition, in working order and free from defects to the extend such equipment do not comply with specifications, under normal use for the warranty period. The scope of warranty covers to its maximum extent permitted by applicable law.
- During warranty, tenderer must rectify issues arise from any mechanical, technical or software faulty as soon as it is reported.
- **Exchange warranty;** Providing replacement units or OEM parts:
 - A. Warranty against defects – Manufacturing defects or Equipment malfunction resulted from mechanical, electrical or software failure during Commissioning or within the first _____ months of use
 - B. Faulty workmanship or unsatisfactory condition during delivery or commissioning
 - C. If a unit or accessory is deemed used item or refurbished item (not a new unit) by the user and BME Unit.
- _____ **time Planned Preventive Maintenance (PPM) PER YEAR** according to Manufacturer's Preventive Maintenance Guideline including PM kits and any other relevant parts to prolong equipment lifespan.

EXCLUSION FROM WARRANTY

MOH understand that the following circumstances are not covered in the warranty and Tenderer may quote for repair and subject to MOH approval:

- Unauthorized modifications - an alteration or repair by anyone other than the Manufacturer or Authorized agent during warranty period.
- Accidental damage or problems caused by negligence or mishandling, subject to appropriate justification by both parties.
- Vandalism and Natural disasters
- Normal wear and tear

ANY OTHER EXCLUSION

Tenderer may propose below to include items or terms which is not listed in the exclusion list above for MOH consideration.

TENDERER ACKNOWLEDGMENT**COMPANY CHOP AND SIGNATURE**