TENDER REFERENCE NO.: KK/355/2025/PPN(TC)

MINISTRY OF HEALTH NEGARA BRUNEI DARUSSALAM

SUPPLY AND DELIVERY OF PROSTHODONTIC CONSUMABLE ITEMS FOR DEPARTMENT OF DENTAL SERVICES, MINISTRY OF HEALTH FOR A PERIOD OF THREE (3) YEARS

TENDER FEES : \$50.00

RECEIPT NO. :

CLOSING DATE: ON TUESDAY, 23/12/2025

TIME : 2.00 PM

FOA :

THE CHAIRMAN
MINI TENDER BOARD, TENDER BOX
GROUND FLOOR, MINISTRY OF HEALTH
COMMONWEALTH DRIVE
BANDAR SERI BEGAWAN BB3910
NEGARA BRUNEI DARUSSALAM

(NON-CLUSTERING)

SECTION 2

SPECIFICATIONS

TENDER REF.: KK/355/2025/PPN(TC)

INVITATION TO TENDER

SUPPLY AND DELIVERY OF PROSTHODONTIC CONSUMABLE ITEMS FOR DEPARTMENT OF DENTAL SERVICES, MINISTRY OF HEALTH FOR A PERIOD OF THREE (3) YEARS

NOT MORE THAN 60 DAYS UPON CONFIRMATION

DELIVERY PERIOD

| NO. | ITEM DESCRIPTION | QUANTITY |
|-----|--|-------------------|
| 1. | ADDITION-CURED POLYVINYL SILOXANE IMPRESSION MATERIALS (ULTRA LIGHT BODY, REGULAR SET) Specifications: A quadrafunctional hydrophilic addition reaction silicon, light body, elastomeric With excellent hydrophilic properties, dimensional accuracy, high tear strength and resistance to permanent deformation. Smart wetting on the tooth surface and model detail reproduction Double-mix technique Available in cartridge delivery Complies with the requirements of iso 4823 for dental elastomeric impression materials. Regular set times Wash work time (mouth temperature): 1'10" Tray work time (room temperature): 2'15" Mouth removal time: 5'00" Contains: 50 ml cartridge pvs Mixing tips Intraoral tips Expiry date not less than 18 months upon delivery ADDITION-CURED POLYVINYL SILOXANE IMPRESSION MATERIALS (MONOPHASE/MEDIUM BODY, REGULAR SET) | 400 CARTRIDGES |
| | Specifications: | |

As final impressions for the fabrication of dentures, crowns and bridges.

Smart Wetting elastomeric impression material with excellent hydrophilic properties, dimensional accuracy, high tear strength and resistance to

Medium-bodied consistency suitable for all precision impression

Complies with the requirements of ISO 4823 for dental elastomeric

1600

CARTRIDGES

Double-mix technique

permanent deformation

impression materials. Regular Set Times

Available in cartridge delivery

ISO Type 2 (medium viscosity, medium body)

✓ Wash Work Time (mouth temperature): 1'10"

techniques

2.

| NO. | ITEM DESCRIPTION | QUANTITY |
|-----|--|-------------------|
| | ✓ Tray Work Time (room temperature): 2'15" ✓ Mouth Removal Time: 5'00" Contains: ✓ 50 ml Cartridge PVS ✓ Mixing Tips ✓ Intraoral Tips Expiry date not less than 18 months upon delivery | |
| | ADDITION-CURED POLYVINYL SILOXANE IMPRESSION MATERIALS (PUTTY, REGULAR SET) | |
| | Specifications: | |
| 3. | Addition silicone system composed of Quadrafunctional Hydrophilic Siloxane with greater cohesion strength, providing greater wettability which facilitates the setting and application of the product, lower contact angle and high tear resistance. Optimum flexibility for easy removal from undercuts Complies with the requirements of ISO 4823 for dental elastomeric impression materials. Contains ✓ 1 base bottle of 450 ml | 100 BOXES |
| | ✓ 1 bottle of catalyst of 450 ml and ✓ 2 Spoons Expiry date not less than 18 months upon delivery | |
| | POLYVINYL SILOXANE BITE REGISTRATION MATERIAL | |
| 4. | Specifications: Specific A-Silicones for bite registration Has a high hardness that allows an easy milling and avoids compressions and incorrect repositioning Imperceptible consistency Minimum permanence in the oral cavity Thixotropic: allows you to easily control the positioning on the occlusal plane High final hardness (95 Shore A) Pack contains: ✓ 50 ml cartridges ✓ Mixing tips Expiry date not less than 18 months upon deliver | 400 CARTRIDGES |
| | UNIVERSAL IMPRESSION ADHESIVE | |
| 5. | Specifications: Assists In the Administration Of Polyvinyl Siloxane Impression Materials And Ensuring They Remain In The Tray During Removal. Dark Coloured Bottle Expiry Date Not Less Than 18 Months Upon Delivery | 280 BOTTLES |
| | SELF-CURING ACRYLIC RESIN POLYMETHYL METHACRYLATE (POLYMER) POWDER | |
| 6. | Specifications: | 80 BOTTLES |
| | ■ FOR TEMPORARY INLAYS, CROWNS, BRIDGES & REPAIRS | |

| NO. | ITEM DESCRIPTION | QUANTITY |
|-----|--|---------------|
| | incorporates SURF Technology (Surface Uniformity Revolutionary Fixation Technology) Superior handling for brush-on & pouring technique Perfect balanced composition for long term temporaries Shade A2 Powder 100g bottle Must be used with monomer liquid from same manufacturer | |
| | Expiry date not less than 18 months upon delivery SELF-CURING ACRYLIC RESIN | |
| 7. | POLYMETHYL METHACRYLATE (POLYMER) POWDER Specifications: For temporary inlays, crowns, bridges & repairs Incorporates surf technology (surface uniformity revolutionary fixation technology) superior handling for brush-on & pouring technique Perfect balanced composition for long term temporaries Shade a3 Powder 100g bottle Must be used with monomer liquid from same manufacturer Expiry date not less than 18 months upon delivery | 80 BOTTLES |
| 8. | LIQUID FOR SELF-CURING ACRYLIC RESIN FOR TEMPORARY INLAYS, CROWNS, BRIDGES AND REPAIRS Specifications: Straight elevator with flat end - has one convex side for insertion Methyl methacrylate (monomer) liquid Used with self-curing acrylic resin powder (PMMA) from same manufacturer 100g (104ml) liquid per bottle Expiry date not less than 18 months upon delivery | 80 BOTTLES |

SECTION 3

FORMS TO BE USED

CONTENTS

| SCHEDULE 1 - TENDER FORM | 1 |
|------------------------------------|----|
| SCHEDULE 2 - INFORMATION SUMMARY | 6 |
| SCHEDULE 3 -SUB-CONTRACTS | 7 |
| SCHEDULE 4 -COMPANY BACKGROUND | 8 |
| SCHEDULE 5 -REFERENCES | 9 |
| SCHEDULE 6 -SUBMISSION OF SAMPLE | 10 |
| SCHEDULE 7 - LETTER OF DECLARATION | 13 |

SECTION 3

TENDER FORM

To:

TENDER REF.: <u>KK/355/2025/PPN(TC)</u>

INVITATION TO TENDER

SUPPLY AND DELIVERY OF PROSTHODONTIC CONSUMABLE ITEMS FOR DEPARTMENT OF DENTAL SERVICES, MINISTRY OF HEALTH FOR A PERIOD OF THREE (3) YEARS

| TENDER OF (name of tenderer) | | | _ |
|----------------------------------|---|------|---|
| Company/Business Registration No | | | |
| Tender Closing Date: | | | |
| | | | |
| DELIVERY PERIO | D | | |

| NO. | ITEM DESCRIPTION | QUANTITY | BRAND | MANUFACTURER AND ORIGIN | UNIT PRICE (B\$) | TOTAL PRICE (B\$) |
|-----|---|-------------------|-------|----------------------------|------------------------|-------------------------|
| 1. | ADDITION-CURED POLYVINYL SILOXANE IMPRESSION MATERIALS (ULTRA LIGHT BODY, REGULAR SET) Specifications: A quadrafunctional hydrophilic addition reaction silicon, light body, elastomeric With excellent hydrophilic properties, dimensional accuracy, high tear strength and resistance to permanent deformation. Smart wetting on the tooth surface and model detail reproduction Double-mix technique Available in cartridge delivery | 400 CARTRIDGES | | | | |

| NO. | ITEM DESCRIPTION | QUANTITY | BRAND | MANUFACTURER AND ORIGIN | UNIT PRICE (B\$) | TOTAL PRICE (B\$) |
|-----|---|--------------------|-------|----------------------------|------------------------|-------------------------|
| | Complies with the requirements of iso 4823 for dental elastomeric impression materials. Regular set times Wash work time (mouth temperature): 1'10" Tray work time (room temperature): 2'15" Mouth removal time: 5'00" Contains: 50 ml cartridge pvs Mixing tips Intraoral tips Expiry date not less than 18 months upon delivery | | | | | |
| 2. | ADDITION-CURED POLYVINYL SILOXANE IMPRESSION MATERIALS (MONOPHASE/MEDIUM BODY, REGULAR SET) Specifications: As final impressions for the fabrication of dentures, crowns and bridges. Double-mix technique Smart Wetting elastomeric impression material with excellent hydrophilic properties, dimensional accuracy, high tear strength and resistance to permanent deformation Medium-bodied consistency suitable for all precision impression techniques ISO Type 2 (medium viscosity, medium body) Available in cartridge delivery Complies with the requirements of ISO 4823 for dental elastomeric impression materials. Regular Set Times ✓ Wash Work Time (mouth temperature): 1'10" ✓ Tray Work Time (room temperature): 2'15" ✓ Mouth Removal Time: 5'00" | 1600 CARTRIDGES | | | | |

| NO. | ITEM DESCRIPTION | QUANTITY | BRAND | MANUFACTURER AND ORIGIN | UNIT PRICE (B\$) | TOTAL PRICE (B\$) |
|-----|--|-------------------|-------|----------------------------|------------------------|-------------------------|
| | ✓ 50 ml Cartridge PVS ✓ Mixing Tips ✓ Intraoral Tips Expiry date not less than 18 months upon delivery | | | | | |
| 3. | ADDITION-CURED POLYVINYL SILOXANE IMPRESSION MATERIALS (PUTTY, REGULAR SET) Specifications: ■ Addition silicone system composed of Quadrafunctional Hydrophilic Siloxane with greater cohesion strength, providing greater wettability which facilitates the setting and application of the product, lower contact angle and high tear resistance. ■ Optimum flexibility for easy removal from undercuts ■ Complies with the requirements of ISO 4823 for dental elastomeric impression materials. ■ Contains ✓ 1 base bottle of 450 ml ✓ 1 bottle of catalyst of 450 ml and ✓ 2 Spoons ■ Expiry date not less than 18 months upon delivery | 100 BOXES | | | | |
| 4. | POLYVINYL SILOXANE BITE REGISTRATION MATERIAL Specifications: Specific A-Silicones for bite registration Has a high hardness that allows an easy milling and avoids compressions and incorrect repositioning Imperceptible consistency Minimum permanence in the oral cavity Thixotropic: allows you to easily control the positioning on the occlusal plane High final hardness (95 Shore A) | 400 CARTRIDGES | | | | |

| NO. | ITEM DESCRIPTION | QUANTITY | BRAND | MANUFACTURER AND ORIGIN | UNIT PRICE (B\$) | TOTAL PRICE (B\$) |
|-----|---|----------------|-------|----------------------------|------------------------|-------------------------|
| | Pack contains: ✓ 50 ml cartridges ✓ Mixing tips Expiry date not less than 18 months upon deliver | | | | | |
| 5. | UNIVERSAL IMPRESSION ADHESIVE Specifications: Assists In the Administration Of Polyvinyl Siloxane Impression Materials And Ensuring They Remain In The Tray During Removal. Dark Coloured Bottle Expiry Date Not Less Than 18 Months Upon Delivery | 280 BOTTLES | | | | |
| 6. | SELF-CURING ACRYLIC RESIN POLYMETHYL METHACRYLATE (POLYMER) POWDER Specifications: FOR TEMPORARY INLAYS, CROWNS, BRIDGES & REPAIRS incorporates SURF Technology (Surface Uniformity Revolutionary Fixation Technology) Superior handling for brush-on & pouring technique Perfect balanced composition for long term temporaries Shade A2 Powder 100g bottle Must be used with monomer liquid from same manufacturer Expiry date not less than 18 months upon delivery | 80 BOTTLES | | | | |
| 7. | SELF-CURING ACRYLIC RESIN POLYMETHYL METHACRYLATE (POLYMER) POWDER Specifications: For temporary inlays, crowns, bridges & repairs Incorporates surf technology (surface uniformity revolutionary fixation technology) superior handling for brush-on & pouring technique Perfect balanced composition for long term temporaries | 80 BOTTLES | | | | |

| NO. | ITEM DESCRIPTION | QUANTITY | BRAND | MANUFACTURER AND ORIGIN | UNIT PRICE (B\$) | TOTAL PRICE (B\$) |
|-----|--|---------------|-------|----------------------------|------------------------|-------------------------|
| 8. | Shade a3 Powder 100g bottle Must be used with monomer liquid from same manufacturer Expiry date not less than 18 months upon delivery LIQUID FOR SELF-CURING ACRYLIC RESIN FOR TEMPORARY INLAYS, CROWNS, BRIDGES AND REPAIRS Specifications: Straight elevator with flat end - has one convex side for insertion Methyl methacrylate (monomer) liquid Used with self-curing acrylic resin powder (PMMA) from same manufacturer 100g (104ml) liquid per bottle | 80 BOTTLES | | | | |
| | Expiry date not less than 18 months upon delivery TOTAL PRICE PER YEAR (B\$) | | | | | |
| | TOTAL PRICE FOR THREE (3 |) YEARS (B\$) | | | | |

| NO. | ITEM DESCRIPTION | USER REQUIREMENT | YES | NO | PLEASE SPECIFY THE SPECIFICATION / SCOPE OFFERED FAILURE TO FILL THE OFFER DETAIL SHALL BE IDENTIFIED AS NON-COMPLIANCE TO THE OFFER |
|-----|--|---|-----|----|--|
| | | A quadrafunctional hydrophilic addition reaction silicon, light body, elastomeric With excellent hydrophilic | | | |
| | | properties, dimensional accuracy, high tear strength and resistance to permanent deformation. | | | |
| | | Smart wetting on the tooth surface and model detail reproduction | | | |
| | | Double-mix technique | | | |
| | | Available in cartridge | | | |
| | ADDITION-CURED POLYVINYL SILOXANE IMPRESSION MATERIALS (ULTRA LIGHT BODY, REGULAR SET) | delivery Complies with the | | | |
| | | requirements of iso 4823 | | | |
| 1. | | for dental elastomeric | | | |
| | | impression materials. Regular set times | | | |
| | | ✓ Wash work time | | | |
| | | (mouth temperature): 1'10" | | | |
| | | ✓ Tray work time (room | | | |
| | | temperature): 2'15" ✓ Mouth removal time: 5'00" | | | |
| | | Contains: | | | |
| | | √ 50 ml cartridge pvs | | | |
| | | ✓ Mixing tips | | | |
| | | ✓ Intraoral tips | | | |
| | | Expiry date not less than | | | |
| | | 18 months upon delivery 400 Cartridges | | | |
| | | As final impressions for | | | |
| | | the fabrication of dentures, | | | |
| | | crowns and bridges. | | | |
| | ADDITION-CURED | Double-mix technique Smart Wetting elastomeric | | | |
| | POLYVINYL SILOXANE | impression material with | | | |
| 2. | IMPRESSION MATERIALS (MONOPHASE/MEDIUM | excellent hydrophilic | | | |
| | BODY, REGULAR SET) | properties, dimensional | | | |
| | ŕ | accuracy, high tear strength and resistance to | | | |
| | | permanent deformation | | | |
| | | Medium-bodied | | | |

| NO. | ITEM DESCRIPTION | USER REQUIREMENT | YES | NO | PLEASE SPECIFY THE SPECIFICATION / SCOPE OFFERED FAILURE TO FILL THE OFFER DETAIL SHALL BE IDENTIFIED AS NON-COMPLIANCE TO THE OFFER |
|-----|---|--|-----|----|--|
| | | consistency suitable for all precision impression techniques | | | |
| | | ISO Type 2 (medium viscosity, medium body) | | | |
| | | Available in cartridge delivery | | | |
| | | Complies with the requirements of ISO 4823 | | | |
| | | for dental elastomeric impression materials. | | | |
| | | Regular Set Times ✓ Wash Work Time | | | |
| | | (mouth temperature): | | | |
| | | ✓ Tray Work Time (room temperature): 2'15" | | | |
| | | ✓ Mouth Removal Time: 5'00" | | | |
| | | Contains: | | | |
| | | √ 50 ml Cartridge PVS | | | |
| | | ✓ Mixing Tips | | | |
| | | ✓ Intraoral Tips | | | |
| | | Expiry date not less than 18 months upon delivery | | | |
| | | 1600 Catridges | | | |
| 3. | ADDITION-CURED POLYVINYL SILOXANE IMPRESSION MATERIALS (PUTTY, REGULAR SET) | Addition silicone system composed of Quadrafunctional Hydrophilic Siloxane with greater cohesion strength, providing greater wettability which facilitates the setting and application of the product, lower contact angle and high tear resistance. Optimum flexibility for easy removal from undercuts Complies with the requirements of ISO 4823 for dental elastomeric impression materials. | | | |
| | | ✓ 1 base bottle of 450 ml | | | |

| NO. | ITEM DESCRIPTION | USER REQUIREMENT | YES | NO | PLEASE SPECIFY THE SPECIFICATION / SCOPE OFFERED FAILURE TO FILL THE OFFER DETAIL SHALL BE IDENTIFIED AS NON-COMPLIANCE TO THE OFFER |
|-----|--|--|-----|----|--|
| | | ✓ 1 bottle of catalyst of 450 ml and | | | |
| | | ✓ 2 spoons | | | |
| | | Expiry date not less than 18 months upon delivery | | | |
| | | 100 Boxes | | | |
| | | Specific A-Silicones for bite registration. | | | |
| | | Has a high hardness that allows an easy milling and avoids compressions and incorrect repositioning. | | | |
| | | Imperceptible consistency | | | |
| | | Minimum permanence in the oral cavity | | | |
| 4. | POLYVINYL SILOXANE BITE REGISTRATION MATERIAL | Thixotropic: allows you to easily control the positioning on the occlusal plane High final hardness | | | |
| | | (95 Shore A) | | | |
| | | Pack contains: | | | |
| | | ✓ 50 ml cartridges | | | |
| | | ✓ Mixing tips Expiry date not less than | | | |
| | | 18 months upon delivery | | | |
| | | 400 Cartridges | | | |
| | | Assists in the administration of polyvinyl | | | |
| | UNIVERSAL IMPRESSION ADHESIVE | siloxane impression materials and ensuring | | | |
| 5. | | they remain in the tray during removal. | | | |
| | | Dark coloured bottle | | | |
| | | Expiry date not less than 18 months upon delivery | | | |
| | | 280 bottles | | | |
| 6. | SELF-CURING ACRYLIC RESIN POLYMETHYL METHACRYLATE (POLYMER) POWDER | FOR TEMPORARY INLAYS, CROWNS, BRIDGES & REPAIRS | | | |
| | | incorporates SURF Technology (Surface Uniformity Revolutionary Fixation Technology) Superior handling for brush-on & pouring | | | |

| NO. | ITEM DESCRIPTION | USER REQUIREMENT | YES | NO | PLEASE SPECIFY THE SPECIFICATION / SCOPE OFFERED FAILURE TO FILL THE OFFER DETAIL SHALL BE IDENTIFIED AS NON-COMPLIANCE TO THE OFFER |
|-----|--|--|-----|----|--|
| | | technique Perfect balanced composition for long term temporaries Shade A2 Powder 100g bottle Must be used with monomer liquid from same | | | |
| | | manufacturer Expiry date not less than 18 months upon delivery 80 Bottles | | | |
| 7. | SELF-CURING ACRYLIC RESIN POLYMETHYL METHACRYLATE (POLYMER) POWDER | FOR TEMPORARY INLAYS, CROWNS, BRIDGES & REPAIRS Incorporates surf technology (surface uniformity revolutionary fixation technology) superior handling for brush-on & pouring technique Perfect balanced composition for long term temporaries Shade A3 Powder 100g bottle Must be used with monomer liquid from same manufacturer Expiry date not less than 18 months upon delivery 80 Bottles | | | |
| 8. | LIQUID FOR SELF-CURING ACRYLIC RESIN FOR TEMPORARY INLAYS, CROWNS, BRIDGES AND REPAIRS | Methyl methacrylate (monomer) liquid Used with self-curing acrylic resin powder (PMMA) from same manufacturer 100g (104ml) liquid per bottle Expiry date not less than 18 months upon delivery 80 Bottles | | | |

- 1. We offer and undertake on your acceptance of our Tender to supply and deliver the above mentioned goods in accordance with your Invitation To Tender.
- 2. Our Tender is fully consistent with and does not contradict or derogate from anything in your Invitation To Tender. We have not qualified or changed any of the provisions of your Invitation To Tender.
- 3. We shall execute a formal agreement in the appropriate form set out in Section 4 Contract of the Invitation to Tender together with such further terms and conditions, if any, agreed between the Government and us.
- 4. OUR OFFER IS VALID FOR <u>TWELVE (12)</u> CALENDER MONTHS FROM THE TENDER CLOSING DATE.
- 5. When requested by you, we shall extend the validity of this offer.
- 6. We further undertake to give you any further information which you may require.

| | Dated this | day of | · |
|-----------------|--------------------|-------------|----------------------------|
| Signature of au | thorised officer o | of Tondoror | Tenderer's official stamp: |
| • | unorisea officer o | n renderer | |
| Name: | | | |
| Designation: | | | |

SCHEDULE 2 - INFORMATION SUMMARY

- 2.1 Tenderers shall provide in this Schedule the following information:
 - a. Management summary
 - b. Company profile (including Contractor and sub-contractor(s), if any)
 - c. Years of experience (as of the Tender Closing Date) of the Contractor and sub-contractor(s) in the:
 - Supply & Delivery of Consumables Items
 - d. Other information which is considered relevant

SCHEDULE 3 – SUB-CONTRACTS

- 3.1 Tenderers shall complete Table 3.1 with information about all the companies involved in the provision of the services and items specified in this tender. This shall include details about the Contractor and each sub-contractor involved, as well as their respective responsibilities.
- 3.2 Tenderers shall also indicate in Table 3.1 any alliance relationship established with each subcontractor. An alliance is defined as a formal and binding business relationship between the allied parties.

Table 3.1 - Responsibility Table

| | | Alliance Relationship between Contractor and Sub-contractor(s) | | | |
|-------------------|-------------------------------|--|---------------------|----------------------|--|
| Company Name | Responsibility Description | Alliance Exists? (Y/N) | Date Established | Alliance Description | |
| Contractor | | | | | |
| | | Not Applicable | Not Applicable | Not Applicable | |
| Sub-contractor(s) | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

SCHEDULE 4 - COMPANY'S BACKGROUND

| 4.1 | Each of the companies involved in this tender, including Contractor and sub-contractor(s) (if |
|-----|--|
| | any), shall provide information on the company's background, scope of operations, financial |
| | standing and certified copy of its Certificate of Incorporation or Certificate of Registration (as |
| | the case may be). |

SCHEDULE 5 - REFERENCES

5.1 Tenderers shall submit a list of customers in Table 4.1 to whom the Contractor has provided similar services and items as specified in this tender in the recent 5 years as of the Tender Closing Date.

Table 5.1 - References of previous customers

| Customer Name and Address | Customer Type (Govt or Quasi Govt)* | Contact Person | Title | Contact Number, Fax Number and E-mail Address |
|------------------------------|---|----------------|-------|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

*Note: Tenderers shall indicate whether the customer is a Government or Quasi Government organisation. A Quasi Government is defined as an organisation which (1) is managed and controlled by the Government; or (2) has at least 50% shares being held by the Government. Please leave the column blank if the customer is neither a Government or Quasi Government organisation.

- 5.2 The Ministry of Health shall treat all the information submitted under this schedule in strict confidence.
- 5.3 The Ministry of Health reserves the right to contact the references for tender assessment purposes.

SCHEDULE 6 - SUBMISSION OF SAMPLE

- 6.1 Tenderers shall submit the Submission of Sample form below in respect of the items specified in this tender.
- 6.2 Samples of the items to be submitted shall be:
 - a) identical in packing and manufacture to the items to be offered by the Tenderer; and
 - b) marked with the corresponding item number of the tender.

SUBMISSION OF SAMPLE FORM

To:

TENDER REF.: KK/355/2025/PPN(TC)

INVITATION TO TENDER SUPPLY AND DELIVERY OF PROSTHODONTIC CONSUMABLE ITEMS FOR DEPARTMENT OF DENTAL SERVICES, MINISTRY OF HEALTH FOR A PERIOD OF THREE (3) YEARS

SUBMISSION OF SAMPLE FORM OF (NAME OF TENDERER)

SAMPLE NOT SAMPLE OFFERED/ **NOT OFFERED ITEM** SUBMITTED SUBMITTED **DESCRIPTION** NO. (indicate with (indicate with (indicate as <) ×) appropriate) ADDITION-CURED **POLYVINYL** SILOXANE IMPRESSION MATERIALS 1. (ULTRA LIGHT BODY, REGULAR SET) ADDITION-CURED **POLYVINYL** SILOXANE IMPRESSION MATERIALS 2. (MONOPHASE/MEDIUM BODY. REGULAR SET) ADDITION-CURED **POLYVINYL** 3. SILOXANE IMPRESSION MATERIALS (PUTTY, REGULAR SET) POLYVINYL SILOXANE **BITE** 4. **REGISTRATION MATERIAL** UNIVERSAL **IMPRESSION** 5. **ADHESIVE** SELF-CURING ACRYLIC RESIN 6. **POLYMETHYL METHACRYLATE** (POLYMER) POWDER SELF-CURING ACRYLIC RESIN 7. POLYMETHYL **METHACRYLATE** (POLYMER) POWDER LIQUID FOR SELF-CURING ACRYLIC RESIN FOR TEMPORARY INLAYS, 8. CROWNS, BRIDGES AND REPAIRS

| (Signature of authorized officer of Tenderer) Name: Designation: Date: | Tenderer's official st | amp: |
|--|------------------------|------|
| ı | FOR OFFICE USE | |
| Date of Receipt: | | |
| Receiving Officer: | | |

We understand as stated in the Instructions to Tenderers that Tenders without samples shall not be

considered.