

**TENDER REFERENCE NO.: KK/141/2026/UPP(TC)**

**MINISTRY OF HEALTH  
NEGARA BRUNEI DARUSSALAM**

**SUPPLY AND INSTALL TYRES FOR RAJA ISTERI  
PENGIRAN ANAK SALEHA HOSPITAL'S VEHICLE FOR A  
PERIOD OF TWO (2) YEARS**

**TENDER FEES : \$30.00**

**RECEIPT NO. :**

**CLOSING DATE : ON TUESDAY, 28th July 2026**

**TIME : 2.00 PM**

**FOA :**

**THE CHAIRMAN  
MINI TENDER BOARD, TENDER BOX  
GROUND FLOOR, MINISTRY OF HEALTH  
COMMONWEALTH DRIVE  
BANDAR SERI BEGAWAN BB3910  
NEGARA BRUNEI DARUSSALAM**

**(CLUSTERING)**

## SECTION 2

### SPECIFICATIONS

TENDER REFERENCE NO.: KK/141/2026/UPP(TC)

**INVITATION TO TENDER  
SUPPLY AND INSTALL TYRES FOR RAJA ISTERI PENGIRAN ANAK SALEHA HOSPITAL'S  
VEHICLES FOR A PERIOD OF TWO (2) YEARS**

---

#### 1. GENERAL

- 1.1 The current Raja Isteri Pengiran Anak Saleha (RIPAS) Hospital's vehicle fleet includes as detailed in Appendix A;

| LIST OF VEHICLES             | UNIT      |
|------------------------------|-----------|
| Mitsubishi Pajero            | 29        |
| Hyundai H1                   | 1         |
| Mitsubishi Starwagon         | 1         |
| Toyota HiAce Van             | 6         |
| Toyota HiAce Van (High Roof) | 1         |
| Toyota HiAce (Commuter Bus)  | 2         |
| Mitsubishi L300 Van          | 2         |
| Mitsubishi L300 Cab          | 1         |
| Mitsubishi L200 Cab          | 8         |
| Bus/Mini Bus                 | 8         |
| Light Truck                  | 4         |
| Ford Ranger                  | 2         |
| Canter Box Van               | 1         |
| Mobile Clinic                | 2         |
| Toyota Corolla               | 1         |
| Toyota Kijang                | 3         |
| Proton                       | 1         |
| Mercedes Sprinter Ambulance  | 10        |
| <b>TOTAL</b>                 | <b>83</b> |

- 1.2 The Ministry of Health, in its continuous effort to enhance the safety, efficiency, and reliability of its vehicle fleet operations, invites experienced and qualified contractors to participate in this tender for the **Supply and Installation of Vehicle Tyres and Associated Tyre Services for Raja Isteri Pengiran Anak Saleha (RIPAS) Hospital's Vehicles** over a period of two (2) years
- 1.3 This contract aims to engage a service provider capable of delivering reliable, timely, and high-quality tyre replacement services for RIPAS Hospital's vehicles.
- 1.4 Orders for tyres will be placed periodically throughout the contract period based on actual requirements. No minimum quantity is guaranteed, and all orders will be issued directly by the Officer in Charge or their designate.

- 1.5 The rates for the supply and installation of tyres will follow a schedule of rates provided in the quotation attached in Section 3 (Schedule A). Tenderers are to refer to this appendix for the detailed pricing, tyre types and specifications
- 1.6 Tenderers must submit technical specifications, product catalogues or literature with their proposal to validate the offered products, including tread design, model characteristics, performance data, ply construction type (e.g., steel-belted radial, nylon, or heavy-duty), and EC compliance information.
- 1.7 For reference, a list of RIPAS Hospital vehicles and their corresponding tyre specifications is attached in Appendix A. Contractors are required to refer to this appendix to ensure tyre compatibility with each vehicle. The list includes details such as tyre size, load index, speed rating, and ply rating. Contractors must also ensure that the type of ply construction – including whether the tyre is steel-belted, radial, bias or heavy duty – is suitable for the operational demands of each vehicle. These construction details must be clearly reflected in the product catalogues or technical submissions.

## 2. SCOPE OF WORK

- 2.1 This procurement is necessary to ensure the continued safety, performance, and reliability of RIPAS Hospital's vehicle fleet, including ambulances and support units. Timely replacement of worn tyres is essential to minimize the risk of accidents, maintain proper road grip, and ensure smooth vehicle operation under various operational conditions.
- 2.2 The Contractor shall provide **supply and installation** services for vehicle tyres to RIPAS Hospital for a period of **two (2) years**.
- 2.3 The scope of work includes, but is not limited to, the following:
  - 2.3.1 **Supply of tyres;**
    - 2.3.1.1 Supply new, freshly manufactured tyres (less than one (01) year ~~six (6) months~~ old at the time of delivery);
    - 2.3.1.2 Ensure tyres match the specifications in Appendix A and are compatible with the manufacturer's recommendation for each vehicle;
    - 2.3.1.3 Maintain sufficient stock at the Contractor's facility to ensure same-day supply and installation upon receipt of notification by the Officer in Charge;
    - 2.3.1.4 Any other accessories required for tyres installations (e.g valve stems, wheel weights) shall be replaced with new items. These shall be treated as Provisional Items and priced separately.
  - 2.3.2 **Installation Services**
    - 2.3.2.1 Carry out installation within 3 Hours after receiving a formal notification from the Officer in Charge;
    - 2.3.2.2 Provide on-site installation, including at breakdown sites or any other location as instructed. Installation may be required at the Contractor's premises or at RIPAS Hospital-designated sites;
    - 2.3.2.3 The rate of tyre installation shall be inclusive of necessary services such as tyre mounting, wheel balancing, valve replacement, and the use of all required consumables. Wheel balancing must be performed with every tyre replacement;
  - 2.3.3 **Inspection and Troubleshooting**
    - 2.3.3.1 Inspect and confirm that the tyre is compatible with the vehicle and that no abnormalities (e.g, rim damage, alignment issues) are present before installation;
    - 2.3.3.2 If faults are found, immediately report to the Officer in Charge and hold off tyre replacement until further instructions are given;
  - 2.3.4 **Post-Installation**
    - 2.3.4.1 Ensure proper fitting, inflation to recommended pressure, and balancing of the new tyres;

- 2.3.4.2 Return all used/replaced tyres to Unit Pemeliharaan Kendaraan, RIPAS Hospital for official recording and disposal;
- 2.3.4.3 Submit a printed service report for review and approval by the Officer in Charge. The report shall include the work carried out, vehicle details, tyre specifications, and tyre-related parameters such as alignment, camber, and caster, along with the date of installation.

### 3. TECHNICAL REQUIREMENTS

- 3.1 All tyres supplied under this contract shall be;
  - 3.1.1 **Freshly manufactured** – not more than one (01) year ~~six (6) months~~ old at the time of delivery;
  - 3.1.2 **Covered by the manufacturer's standard warranty for all new tyres installed;**
  - 3.1.3 **Compliant with relevant safety standards** and suitable for hospital fleet use, including ambulances and support vehicles;
- 3.2 The contractor must refer to the vehicle's original manual or specifications to ensure tyre compatibility, including size, ply rating, load index and speed symbol;
- 3.3 Only tyres of reputable and high-quality brands shall be accepted. The following brands are recommended: **Michelin, Bridgestone, Goodyear, Continental, Yokohama, Pirelli, BF Goodrich, Firestone, Westlake, GT, Dunlop, Nexun or equivalent brand.**
- 3.4 All tyres must bear:
  - 3.4.1 The EC Certificate of Approval symbol and corresponding manufacturing country code (e.g. E19 for Romania);
  - 3.4.2 The manufacturer's trademark, tyres model, and/or reference code in large, easily legible raised marking;
- 3.5 Tyres found to be defective during the warranty period must be replaced at no additional cost to RIPAS Hospital.

### 4. PROVISIONAL ITEMS AND DEFECTIVE PARTS SUPPLY

- 4.1 The Contractor shall, upon instruction by the Officer in Charge (OiC), supply and install any additional accessories or defective parts related to the tyre system (e.g. valve stems, wheel weights, etc.) as required.
- 4.2 These provisional items/services shall only be executed with prior written instruction from the OIC.
- 4.3 Only the quantities as ordered by the OIC shall be supplied or installed.
- 4.4 Any parts replaced under this provision shall carry a minimum warranty of two (2) months from the date of installation.

### 5. SUBMISSION OF PROPOSAL

- 5.1 The proposal should include the following documents;
  - 5.1.1 **Technical Proposal:** This should contain detailed information regarding the contractor's ability to fulfill the requirements of the scope of work, including technical specifications of the tyres being offered, compliance with warranty requirements, and the contractor's experience and qualifications;
  - 5.1.2 **Product Catalogues or Technical Literature:** Tenderers are required to submit product catalogues, technical sheets, or literature to substantiate the technical details provided in the proposal. This shall include but not be limited to; categorized tread design details, tyre model

characteristics, tyre size, speed symbol, ply rating/load range, inflated dimensions, pressure and maximum load, load index table with corresponding weight values;

Failure to provide this information may result in disqualification of the offer.

- 5.2 The proposal should be submitted in a sealed envelope/package, clearly marked with the tender reference number and title:

*“Tender for Supply and Installation of Vehicle Tyres for Raja Isteri Pengiran Anak Saleha Hospital’s Vehicles.”*

- 5.3 For the purpose of any clarification or correspondence related to this Tender, RIPAS Hospital will be represented by the Officer in Charge of Vehicle Maintenance under the Operations Department, who will act as the authorized Hospital Representative.

All communications and notices shall be directed to the attention of:

**Head of Operation**  
**4<sup>th</sup> Floor Women & Children Centre**  
**Raja Isteri Pengiran Anak Saleha Hospital**  
**Bandar Seri Begawan BA1710**  
**Negara Brunei Darussalam**  
**Contact No. 2242424 Ext. 7420 Fax No.: 2242690 (CEO Office)**

## **6. CONTRACT DURATION**

- 6.1 The successful Tenderer shall be awarded a contract for a duration of **two (2) years** commencing from the date of the official Letter of Acceptance issued by RIPAS, Ministry of Health.
- 6.2 The Ministry of Health reserves the right to extend or terminate the contract earlier, subject to performance review and mutual agreement. Termination may also be exercised if the contractor fails to maintain service quality, response time, inspection compliance, or stock availability as stipulated in the contract and Scope of Works

## **7. DELIVERY & RESPONSE TIME**

- 7.1 The Contractor shall be required to supply and install the tyres **within one (1) working day** upon a receipt of a request or notification from the Officer in Charge or their authorized representative
- 7.2 In the event of an emergency, the Contractor shall be required to provide tyre supply and installation services promptly, outside of normal working hours, as instructed by the Officer in Charge or their authorized representative.
- 7.3 Should the Contractor fail to deliver or install within the specified timeframe, the Ministry of Health reserves the right to appoint an alternative supplier and recover any cost differences incurred.

## **8. WARRANTY TERMS**

- 8.1 All new installed tyres must come with a **minimum warranty of six (6) months** from the date of installation
- 8.2 Provisional items, such as defective parts or accessories, shall be covered with a minimum of **two (2) months** warranty upon replacement or installation,
- 8.3 Any tyre or part found to be defective within the warranty period must be replaced at **no additional cost**, including installation and transportation/towing if required.

## **9. PAYMENT TERMS**

- 9.1 Payment shall be made by the Government of His Majesty the Sultan and Yang-Di Pertuan of Brunei Darussalam upon satisfactory completion of the supply and installation of the vehicle tyre(s), and upon submission of a valid invoice and an approved service report by the Officer in Charge. All claims shall be addressed to:

***Chief Executive Officer Special Grade  
4<sup>th</sup> floor Women & Children Centre  
Raja Isteri Pengiran Anak Saleha Hospital  
Bandar Seri Begawan BA1710  
Negara Brunei Darussalam***

- 9.2 The Contractor shall ensure that all invoices include the relevant vehicle details, tyre specifications, date of installation, and any other necessary references as required by RIPAS Hospital.
- 9.3 No advance payment shall be made. Payment shall only be processed after the full delivery and proper installation of the tyre(s), and upon verification by the authorized Hospital representative.

## **10. CONTRACT TERMINATION**

- 10.1 The Ministry of Health reserves the right to terminate the contract in whole or in part at any time during the contract period if the Contractor:
- 10.1.1 Fails to meet the required standards of performance as assessed through periodic service reviews or inspections;
  - 10.1.2 Repeatedly delivers unsatisfactory workmanship or delayed responses to service requests;
  - 10.1.3 Supplies non-original or non-OEM parts in violation of the contract terms;
  - 10.1.4 Fails to comply with the agreed technical specifications, warranty terms, or instructions from the Officer in Charge.
- 10.2 Prior to termination, the Contractor shall be formally notified in writing a granted a reasonable period to rectify any performance-related shortcomings. Failure to resolve such issues within the specified timeframe shall results in contract termination without further obligation by the Ministry.
- 10.3 In the event of termination, any unfulfilled services of undelivered parts may be reassigned to an alternative contractor at the existing contractor's cost and risk.

**APPENDIX A**

| NO. | REG     | TYPE       | MODEL      | CHASSIS NUMBER    | TIRE SIZE  | PLY RATE           |
|-----|---------|------------|------------|-------------------|------------|--------------------|
| 1   | BG 595  | MIT PAJERO | MITSUBISHI | JMYLNV96WBJ000309 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 2   | BG 5905 | MIT PAJERO | MITSUBISHI | JMYLNV96WBJ000311 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 3   | BG 4738 | MIT PAJERO | MITSUBISHI | JMYLNV96WDJ000187 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 4   | BG 535  | MIT PAJERO | MITSUBISHI | JMYLNV96W8J001485 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 5   | BG 8588 | MIT PAJERO | MITSUBISHI | CHNV32OPJ00168    | 205/R16    | MIN. 8 PLY         |
| 6   | BG 8108 | MIT PAJERO | MITSUBISHI | CHNV320RJ00177    | 205/R16    | MIN. 8 PLY         |
| 7   | BG 5906 | MIT PAJERO | MITSUBISHI | JMYLNV96WBJ000312 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 8   | BG 5058 | MIT PAJERO | MITSUBISHI | JMYLNV96WDJ000426 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 9   | BG 5041 | MIT PAJERO | MITSUBISHI | JMYLNV96WDJ000430 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 10  | BG 7798 | MIT PAJERO | MITSUBISHI | CHNV320PJPP376    | 205/R16    | MIN. 8 PLY         |
| 11  | BG 8816 | MIT PAJERO | MITSUBISHI | CHNV320T00140     | 205/R16    | MIN. 8 PLY         |
| 12  | BG 4285 | MIT PAJERO | MITSUBISHI | JMYLNV96WCJ001235 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 13  | BG 4288 | MIT PAJERO | MITSUBISHI | JMYLNV96WC001242  | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 14  | BG 161  | MIT PAJERO | MITSUBISHI | JMYLNV96WCJ001297 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 15  | BG 4289 | MIT PAJERO | MITSUBISHI | JMYLNV96WCJ001256 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 16  | BG 160  | MIT PAJERO | MITSUBISHI | JMYLNV96WCJ001283 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 17  | BG 7787 | MIT PAJERO | MITSUBISHI | CHNV320NJ00101    | 205/R16    | MIN. 8 PLY         |
| 18  | BG 7633 | MIT PAJERO | MITSUBISHI | CHNV320PJ00130    | 205/R16    | MIN. 8 PLY         |
| 19  | BG 8111 | MIT PAJERO | MITSUBISHI | CHNV32OPJ00172    | 205/R16    | MIN. 8 PLY         |
| 20  | BG 8809 | MIT PAJERO | MITSUBISHI | CHNV3207J00133    | 205/R16    | MIN. 8 PLY         |
| 21  | BG 8810 | MIT PAJERO | MITSUBISHI | CHNV320TJ00134    | 205/R16    | MIN. 8 PLY         |
| 22  | BG 8817 | MIT PAJERO | MITSUBISHI | CHNV320TJ00141    | 205/R16    | MIN. 8 PLY         |
| 23  | BG 8820 | MIT PAJERO | MITSUBISHI | CHNV320T00132     | 205/R16    | MIN. 8 PLY         |
| 24  | BG 8950 | MIT PAJERO | MITSUBISHI | JMAONV43OVJ000135 | 235/75 R15 | RADIAL (MIN 4 PLY) |
| 25  | BG 8951 | MIT PAJERO | MITSUBISHI | JMAONV43OVJ000138 | 235/75 R15 | RADIAL (MIN 4 PLY) |
| 26  | BG 7799 | MIT PAJERO | MITSUBISHI | CHNV320PJ00365    | 205 R16    | MIN. 8 PLY         |
| 27  | BG 4740 | MIT PAJERO | MITSUBISHI | JMYLNV96WDJ000150 | 235/80 R16 | RADIAL (MIN 4 PLY) |
| 28  | BG 4286 | MIT PAJERO | MITSUBISHI | JMYLNV96WCJ001236 | 235/80 R16 | RADIAL (MIN 4 PLY) |

| NO. | REG     | TYPE                    | MODEL      | CHASSIS NUMBER    | TIRE SIZE  | PLY RATE           |
|-----|---------|-------------------------|------------|-------------------|------------|--------------------|
| 29  | BG 7762 | MIT PAJERO              | MITSUBISHI | JMYLNV76W7J000797 | 265/70 R16 | RADIAL (MIN 4 PLY) |
| 30  | BG 545  | HYTUNDAI H1             | HYUNDAI    | KMHWH81JMAU240697 | 215/70 R16 | RADIAL (MIN 4 PLY) |
| 31  | BG 7189 | MIT STAR WAGON          | MITSUBISHI | CJCP12VLA00233    | 600/R14    | MIN. 8 PLY         |
| 32  | BG 9500 | TOYOTA HIACE VAN        | TOYOTA     | JT74UHC501002502  | 185/R14    | MIN. 8 PLY         |
| 33  | BG 7999 | TOYOTA HIACE VAN        | TOYOTA     | JTFHS02PX00100668 | 195/R15    | MIN. 8 PLY         |
| 34  | BG 2480 | TOYOTA HIACE VAN        | TOYOTA     | JTFHS02P200098611 | 195/R15    | MIN. 8 PLY         |
| 35  | BG 2479 | TOYOTA HIACE VAN        | TOYOTA     | JIFHS02P200098611 | 195/R15    | MIN. 8 PLY         |
| 36  | BG 3952 | TOYOTA HIACE VAN        | TOYOTA     | LH1147012894      | 185/R14    | MIN. 8 PLY         |
| 37  | BG 8055 | TOYOTA HIACE VAN        | TOYOTA     | RZH1146003795     | 185/R14    | MIN. 8 PLY         |
| 38  | BG 2500 | TOYOTA HIACE H/ROOF VAN | TOYOTA     | JTFSS22P900108942 | 195/R15    | MIN. 8 PLY         |
| 39  | BG 5087 | TOYOTA HIACE            | TOYOTA     | JTFSS22P300138390 | 195/R15    | MIN. 8 PLY         |
| 40  | BG 5088 | TOYOTA HIACE            | TOYOTA     | JTFSS22P900138443 | 195/R15    | MIN. 8 PLY         |
| 41  | BG 4282 | MIT L300 VAN            | MITSUBISHI | JMYHNP15WAA000763 | 185/R14    | MIN. 8 PLY         |
| 42  | BG 9661 | MIT L300 VAN            | MITSUBISHI | JMFSRPO3W3A000254 | 185/80 R14 | MIN. 8 PLY         |
| 43  | BG 8076 | MIT L300 CAB            | MITSUBISHI | COFK11ORP00326    | 185/R14    | MIN. 8 PLY         |
| 44  | BG 5077 | MIT L300 CAB            | MITSUBISHI | MMBJNKB70FD021213 | 205/R16    | MIN. 8 PLY         |
| 45  | BG 5078 | MIT L300 CAB            | MITSUBISHI | MMBJNKB70FD022704 | 205/R16    | MIN. 8 PLY         |
| 46  | BG 5045 | MIT L300 CAB            | MITSUBISHI | MMBJNKB70FD010197 | 205/R16    | MIN. 8 PLY         |
| 47  | BG 5046 | MIT L300 CAB            | MITSUBISHI | MMBJNKB70FD010204 | 205/R16    | MIN. 8 PLY         |
| 48  | BG 5057 | MIT L300 CAB            | MITSUBISHI | JMFSRPO3WDA000275 | 185/80 R14 | MIN. 8 PLY         |
| 49  | BG 9866 | MIT L300 CAB            | MITSUBISHI | JMYLNK340VP005822 | 6.50 X 15  | MIN. 8 PLY         |
| 50  | BG 8757 | MIT L300 CAB            | MITSUBISHI | COFK110SP00392    | 6.00 X 14  | MIN. 8 PLY         |
| 51  | BG 8077 | MIT L300 CAB            | MITSUBISHI | COFK11ORP00250    | 6.00 X 14  | MIN. 8 PLY         |
| 52  | BG 204  | JAC MINI BUS 15 SEAT    | ANHUI JAC  | LJ16AE3C7C2011799 | 7.00/R16   | MIN. 12 PLY        |
| 53  | BG 3217 | MIT ROSA BUS 22 SEAT    | MITSUBISHI | BE637GH20041      | 7.00/R16   | MIN. 12 PLY        |
| 54  | BG 201  | JAC BUS 29 SEATER       | ANHUI JAC  | LJ16BU5F7CB101002 | 8.25/R20   | MIN. 14 PLY        |
| 55  | BG 202  | JAC MINI BUS 15 SEAT    | ANHUI JAC  | LJ16AE3C5C2011798 | 7.00/R16   | MIN. 12 PLY        |
| 56  | BG 203  | JAC MINI BUS 15 SEAT    | ANHUI JAC  | LJ16AE3C3C2011797 | 7.00/R16   | MIN. 12 PLY        |



| NO. | REG     | TYPE                                | MODEL      | CHASSIS NUMBER     | TIRE SIZE  | PLY RATE           |
|-----|---------|-------------------------------------|------------|--------------------|------------|--------------------|
| 57  | BG 205  | JAC MINI BUS<br>15 SEAT             | ANHUI JAC  | LJ16AE3C1C2011796  | 7.00/R16   | MIN. 12 PLY        |
| 58  | BG 2667 | MIT ROSA<br>BUS 22 SEAT             | MITSUBISHI | BE637G-F02904      | 7.00/R16   | MIN. 12 PLY        |
| 59  | BG 9600 | MIT ROSA<br>BUS 22 SEAT             | MITSUBISHI | BE635GA00026       | 7.00 R16   | MIN. 12 PLY        |
| 60  | BG 7786 | DAIHATSU<br>LIGHTTRUCK              | DAIHATSU   | JDA000V9900016027  | 6.50 X 16  | MIN. 10 PLY        |
| 61  | BG 291  | JAC<br>LIGHTDUTY<br>TRUCK           | ANHUI JAC  | LJ11KAAC8D9002847  | 7.00/R16   | MIN. 12 PLY        |
| 62  | BG 391  | JAC<br>LIGHTDUTY<br>TRUCK           | ANHUI JAC  | LJ11KAAC4D9002845  | 7.00 /R16  | MIN. 12 PLY        |
| 63  | BG 4712 | FUSO<br>CANTER<br>LIGHT TRUCK       | MITSUBISHI | FE85PGA20616       | 7.50/ R16  | MIN. 14 PLY        |
| 64  | BG 1559 | FORD<br>RANGER 2.5L<br>4WD          | FORD       | MNBUSFE40BW909269  | 245/70 R16 | RADIAL (MIN 4 PLY) |
| 65  | BG 1459 | FORD<br>RANGER 2.5L<br>4WD          | FORD       | MNBUSFE40BW931192  | 245/70 R17 | RADIAL (MIN 4 PLY) |
| 66  | BG 9880 | MIT CANTER<br>BOX VAN               | MITSUBISHI | FE659FA02592       | 7.50 R16   | MIN. 14 PLY        |
| 67  | BG 9049 | FM515L<br>MOBILE<br>BLOOD BANK      | MITSUBISHI | FM515LA30864       | 9.00 R20   | MIN. 14 PLY        |
| 68  | BG 7090 | MIT<br>FK415JRG<br>MOBILE<br>DENTAL | MITSUBISHI | FK415KA20185       | 825/R16    | MIN. 14 PLY        |
| 69  | BG 7061 | TOYOTA<br>CORROLA                   | TOYOTA     | EE900148076        | 155S/R13   | MIN. 8 PLY         |
| 70  | BG 9550 | TOYOTA<br>SUPER<br>KIJANG           | TOYOTA     | MHF11LF8000015703  | 185/80 R14 | MIN. 8 PLY         |
| 71  | BG 9596 | TOYOTA<br>SUPER<br>KIJANG           | TOYOTA     | MHF11L8000012293   | 185/80 R14 | MIN. 8 PLY         |
| 72  | BG 9660 | TOYOTA<br>SUPER<br>KIJANG           | TOYOTA     | MHF11LF8000017371  | 185/80 R14 | MIN. 8 PLY         |
| 73  | BG 3991 | PROTON<br>PESONA                    | PROTON     | PL1CM6SRRCG358955  | 195/ R15   | MIN. 8 PLY         |
| 74  | BG 596  | SPRINTER<br>(BOX)                   | MERCEDEZ   | WDB9061532N497528  | 205/75 R16 | MIN. 10 PLY        |
| 75  | BG 295  | SPRINTER<br>(BOX)                   | MERCEDEZ   | WDB90611532N497523 | 205/75 R16 | MIN. 10 PLY        |
| 76  | BG 900  | SPRINTER<br>(HR)                    | MERCEDEZ   | WDB9066352S770150  | 235/65 R16 | MIN. 8 PLY         |
| 77  | BG 254  | SPRINTER<br>(HR)                    | MERCEDEZ   | WDB9066352S770151  | 235/65 R16 | MIN. 8 PLY         |
| 78  | BG 921  | SPRINTER<br>(SR)                    | MERCEDEZ   | WDB9066332S891635  | 235/65 R16 | MIN. 8 PLY         |
| 79  | BG 922  | SPRINTER<br>(SR)                    | MERCEDEZ   | WDB9066332S891055  | 235/65 R16 | MIN. 8 PLY         |

| NO. | REG    | TYPE              | MODEL    | CHASSIS NUMBER    | TIRE SIZE  | PLY RATE   |
|-----|--------|-------------------|----------|-------------------|------------|------------|
| 80  | BG 925 | SPRINTER<br>(SR)  | MERCEDEZ | WDB9066332S890487 | 235/65 R16 | MIN. 8 PLY |
| 81  | BG 923 | SPRINTER<br>(SR)  | MERCEDEZ | WDB9066332S891636 | 235/65 R16 | MIN. 8 PLY |
| 82  | BG 591 | SPRINTER<br>(BOX) | MERCEDEZ | WDB9061532N497524 | 205/75 R16 | MIN. 8 PLY |
| 83  | BG 659 | SPRINTER<br>(BOX) | MERCEDEZ | WDB9061532N497522 | 205/75 R16 | MIN. 8 PLY |

## CONTENTS

|    |                                       |       |
|----|---------------------------------------|-------|
| 1. | SCHEDULE A – TENDER FORM .....        | 2-9   |
| 2. | SCHEDULE B – INFORMATION SUMMARY..... | 10    |
| 3. | SCHEDULE C – SUB-CONTRACTS .....      | 11    |
| 4. | SCHEDULE D – COMPANY BACKGROUND ..... | 12    |
| 5. | SCHEDULE E – REFERENCES .....         | 13    |
| 6. | SCHEDULE F - DECLARATION.....         | 14-15 |

## SCHEDULE A

### TENDER FORM

To:

**TENDER REFERENCE NO.: KK/141/2026/UPP(TC)**

**INVITATION TO TENDER  
SUPPLY AND INSTALL TYRES FOR RAJA ISTERI PENGIRAN ANAK SALEHA HOSPITAL'S  
VEHICLES FOR A PERIOD OF TWO (2) YEARS**

**TENDER OF (name of tenderer)** \_\_\_\_\_

Company/Business Registration No : \_\_\_\_\_

Tender Closing Date : \_\_\_\_\_

| ITEM NO. | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | UNIT | RATE |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
|          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |      | \$   |
|          | <p><b>SECTION A – SUPPLY AND INSTALL TYRES</b></p> <p>To supply new vehicle tyres for RIPAS Hospital's according to a fixed schedule of rates as stated below.</p> <p>All tyres shall be new and of current production (not more than six (6) months from the date of manufacture).</p> <p>Bidders shall only quote for the recommended brands as listed in the Scope of Works.</p> <p>Other brands which are not mentioned will be rejected and disqualified from this quotation. (It is mandatory for the bidders to fill and specify the offered tyre specifications below).</p> <p><b>Note:</b></p> <ol style="list-style-type: none"> <li><b>Other accessories required/needed for the installation of the tyres (e.g. valves, balancing weights) shall be replaced with new ones and to be charged separately as provisional item(s)</b></li> <li><b>Rates for the supply and installation of tyres include all necessary services, such as wheel balancing, alignment checks, installation consumables, and any related works.</b></li> <li><b>Return all used/replaced tyres to Unit Pemeliharaan Kendaraan, RIPAS Hospital for official recording and disposal.</b></li> <li><b>Tenderers are required to;</b> <ul style="list-style-type: none"> <li>✓ <b>Complete and submit the attached Bill of Quantities (BQ) form, detailing the proposed supply and installation costs of vehicle tyres, including the provision of all associated tyre services;</b></li> <li>✓ <b>Attach a brochure or product catalogue for each tyre offered, which must include the following information; Model Tyres Name, Tyre Specifications, Performance Data and EC Compliance (if applicable), Ply Rating, Country of Origin and Warranty Details.</b></li> </ul> </li> </ol> |      |      |

| ITEM NO. | DESCRIPTION                                                                                                                                                                                                                                                                      | UNIT | RATE  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|
|          |                                                                                                                                                                                                                                                                                  |      | \$    |
| A1       | <b>235/80 R16, MITSUBISHI PAJERO, JMYLNV96</b><br>a) Load Index: <u>109</u><br>b) Speed Symbol: <u>S</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 4 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                | NOS  | _____ |
| A2       | <b>205/R16 MITSUBISHI PAJERO, CHNV320 &amp; MITSUBISHI L300 CAB, MMBJNKB70FD</b><br>a) Load Index: <u>110 / 108</u><br>b) Speed Symbol: <u>R</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>8 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____ | NOS  | _____ |
| A3       | <b>235/75 R15 MITSUBISHI PAJERO, JMAONV43OVJ</b><br>a) Load Index: <u>105</u><br>b) Speed Symbol: <u>S</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 4 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                              | NOS  | _____ |
| A4       | <b>265/70 R16 MITSUBISHI PAJERO, JMYLNV76W7J000797</b><br>a) Load Index: <u>112</u><br>b) Speed Symbol: <u>S</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 4 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                        | NOS  | _____ |
| A5       | <b>215/70 R16 HYUNDAI H1, KMHWH81JMAU240697</b><br>a) Load Index: <u>108</u><br>b) Speed Symbol: <u>S</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>RADIAL / 6 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                               | NOS  | _____ |
| A6       | <b>185/R14 MITSUBISHI STAR WAGON, CJCP12VLA00233</b><br>a) Load Index: <u>102 / 100</u><br>b) Speed Symbol: <u>R</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>8 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                             | NOS  | _____ |
| A7       | <b>185/R14 TOYOTA HIACE VAN, JT74UHC501002502, LH1147012894, RZH1146003795, MITSUBISH L300 VAN,</b>                                                                                                                                                                              | NOS  | _____ |

| ITEM NO. | DESCRIPTION                                                                                                                                                                                                                                                                                              | UNIT | RATE  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|
|          |                                                                                                                                                                                                                                                                                                          |      | \$    |
| A8       | <b>JMYHNP15WAA000763 &amp; MITSUBISHI L300 CAB COFK11ORP00326</b><br>a) Load Index: <u>102/100</u><br>b) Speed Symbol: <u>R</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 8 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                 | NOS  | _____ |
|          | <b>195/R15 TOYOTA HIACE VAN, JTFHS02P, JIFHS02P, JTFSS22P &amp; PROTON PERSONA, PL1CM6SRRCG358955</b><br>a) Load Index: <u>106</u><br>b) Speed Symbol: <u>S</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 8 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____ |      |       |
|          | <b>6.50 x 16 DAIHATSU LIGHT TRUCK, JDA000V9900016027</b><br>a) Load Index: <u>107</u><br>b) Speed Symbol: <u>L</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>10 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                      |      |       |
| A10      | <b>185/80R14 MITSUBISHI L300 JMFSRPO3W &amp; TOYOTA SUPER KIJANG, MHF11L</b><br>a) Load Index: <u>102 / 108</u><br>b) Speed Symbol: <u>R</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 8 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                    | NOS  | _____ |
| A11      | <b>195/R15 MITSUBISHI L300, JMYLNK340VP005822</b><br>a) Load Index: <u>106</u><br>b) Speed Symbol: <u>S</u><br>c) Tyre Type: _____<br>d) Ply: <u>8 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                        | NOS  | _____ |
| A12      | <b>185 R14 MITSUBISHI L300, COFK11</b><br>a) Load Index: <u>102 / 100</u><br>b) Speed Symbol: <u>R</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 8 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                          | NOS  | _____ |

| ITEM NO. | DESCRIPTION                                                                                                                                                                                                                                                                                    | UNIT | RATE  |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|
|          |                                                                                                                                                                                                                                                                                                |      | \$    |
| A13      | <b>7.00/R16 JAC MINI BUS, LI16AE3C, MITSUBISHI ROSA BUS, BE63 &amp; JAC LIGHTDUTY TRUCK LI11KAAC</b><br>a) Load Index: <u>117 /116</u><br>b) Speed Symbol: <u>N</u><br>c) Tyre Type: <u>HT</u><br>d) Ply: <u>12 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____ | NOS  | _____ |
| A14      | <b>8.25/R20 JAC BUS, LJ16BU5F7CB101002</b><br>a) Load Index: <u>133</u><br>b) Speed Symbol: <u>K</u><br>c) Tyre Type: <u>HT</u><br>d) Ply: <u>14 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                | NOS  | _____ |
| A15      | <b>245/70 R16 FORD RANGER 2.5L 4WD, MNBUSFE40BW</b><br>a) Load Index: <u>111</u><br>b) Speed Symbol: <u>S</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 4 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                         | NOS  | _____ |
| A16      | <b>245/70 R17 FORD RANGER 2.5L 4WD, MNBUSFE40BW931192</b><br>a) Load Index: <u>122</u><br>b) Speed Symbol: <u>L</u><br>c) Tyre Type: _____<br>d) Ply: <u>14 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                     | NOS  | _____ |
| A17      | <b>9.00 R20 MITSUBISHI MOBILE BLOOD BANK, FM515LA30864</b><br>a) Load Index: <u>140</u><br>b) Speed Symbol: <u>K</u><br>c) Tyre Type: <u>LT</u><br>d) Ply: <u>14 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                | NOS  | _____ |
| A18      | <b>825/R16 MITSUBISHI MOBILE DENTAL, FK415KA20185</b><br>a) Load Index: <u>127</u><br>b) Speed Symbol: <u>L</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>14 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                               | NOS  | _____ |
| A19      | <b>165/R13 TOYOTA COROLLA, EE900148076</b><br>a) Load Index: <u>94</u>                                                                                                                                                                                                                         | NOS  | _____ |

| ITEM NO. | DESCRIPTION                                                                                                                                                                                                                                                                                                  | UNIT | RATE  |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|
|          |                                                                                                                                                                                                                                                                                                              |      | \$    |
|          | b) Speed Symbol: <u>L</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 8 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                                                                                           |      |       |
| A20      | <b>185/80 R14 MITSUBISHI L300, JMFSRPO3W &amp; TOYOTA SUPER KIJANG MHF11LF</b><br>a) Load Index: <u>102 / 100</u><br>b) Speed Symbol: <u>R</u><br>c) Tyre Type: <u>Tubeless</u><br>d) Ply: <u>Radial / 8 PR</u><br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                      | NOS  | _____ |
| A21      | <b>205/75 R16 MERCEDEZ SPRINTER (BOX), WDB9061532N4975</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: <u>Hard Compound</u><br>d) Ply: _____<br>e) Brand: <u>Continental / Pirelli</u><br>f) Country of Origin: _____<br>g) Warranty: _____                                           | NOS  | _____ |
| A22      | <b>235/65 R16 MERCEDEZ SPRINTER (HR), WDB9066352S7701&amp; MERCEDEZ SPRINTER (SR), WDB9066332S89</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: <u>Hard Compound</u><br>d) Ply: _____<br>e) Brand: <u>Continental / Pirelli</u><br>f) Country of Origin: _____<br>g) Warranty: _____ | NOS  | _____ |



| ITEM NO. | DESCRIPTION                                                                                                                                                                                                                                                                                                                                 | UNIT | RATE  |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------|
|          |                                                                                                                                                                                                                                                                                                                                             |      | \$    |
|          | <b>SECTION B – PROVISION OF FASSOCIATED TYRE SERVICES</b><br><br>Note:<br>These provisional Items/services shall be carried out only upon instruction from the Officer in Charge (OIC). Only the specific quantities as ordered by the OIC shall be executed, and all such services shall carry a minimum warranty period of two (2) months |      |       |
| B1       | Wheel Balancing                                                                                                                                                                                                                                                                                                                             | NOS  | _____ |
| B2       | Alignment                                                                                                                                                                                                                                                                                                                                   | NOS  | _____ |
| B3       | Chamber                                                                                                                                                                                                                                                                                                                                     | NOS  | _____ |
| B4       | Supply of Tyre Valve Stem                                                                                                                                                                                                                                                                                                                   | NOS  | _____ |
| B5       | Puncture Repairs                                                                                                                                                                                                                                                                                                                            | NOS  | _____ |
| B6       | Rotation Position of Tyres                                                                                                                                                                                                                                                                                                                  | NOS  | _____ |

On behalf of \_\_\_\_\_

I/we, the undersigned agree to carry out the above works for a sum of fixed schedule of rates as stated above and agreed to execute all or part of the above mentioned scope of works up to maximum value of B\$90,000.00 (Brunei Dollar NINETY THOUSAND ONLY) at:

NAME OF TENDERER (COMPANY):

\_\_\_\_\_

ADDRESS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

CONTACT PERSON: \_\_\_\_\_

CONTACT NO.: \_\_\_\_\_ (OFFICE) /

\_\_\_\_\_ (HANDPHONE)

\_\_\_\_\_  
TENDERER'S SIGNATURE / COMPANY STAMP

\_\_\_\_\_  
DATE

1. We offer and undertake on your acceptance of our Tender to provide the above-mentioned services in accordance with your Invitation To Tender.
2. Our Tender is fully consistent with and does not contradict or derogate from anything in your Invitation To Tender. We have not qualified or changed any of the provisions of your Invitation To Tender.
3. We shall execute a formal agreement in the appropriate form set out in Section 4 – Contract of the Invitation To Tender together with such further terms and conditions, if any, agreed between the Government and us.
4. OUR OFFER IS VALID FOR **SIX (6) CALENDAR MONTHS** FROM THE TENDER CLOSING DATE.
5. When requested by you, we shall extend the validity of this offer.
6. We further undertake to give you any further information which you may require.

Dated this                      day of                      20     .

\_\_\_\_\_  
Signature of authorised officer of Tenderer  
Name:  
Designation:

Tenderer's official stamp:

## **SCHEDULE B**

### **INFORMATION SUMMARY**

2.1 Tenderers shall provide in this Schedule the following information:

- a. Management summary
- b. Company profile (including Contractor and sub-contractor(s), if any)
- c. Years of experience (as of the Tender Closing Date) of the Contractor and sub-contractor(s) in the:
  - **SUPPLY AND INSTALL TYRES FOR RIPAS HOSPITAL'S VEHICLES FOR A PERIOD OF TWO (2) YEARS**
- d. Other information which is considered relevant

## SCHEDULE C

### SUB-CONTRACTS

- 3.1 Tenderers shall complete Table 3.1 with information about all the companies involved in the provision of the services and items specified in this tender. This shall include details about the Contractor and each sub-contractor involved, as well as their respective responsibilities.
- 3.2 Tenderers shall also indicate in Table 3.1 any alliance relationship established with each sub-contractor. An alliance is defined as a formal and binding business relationship between the allied parties.

Table 3.1 - Responsibility Table

| Company Name      | Responsibility Description | Alliance Relationship between Contractor and Sub-contractor(s) |                  |                      |
|-------------------|----------------------------|----------------------------------------------------------------|------------------|----------------------|
|                   |                            | Alliance Exists? (Y/N)                                         | Date Established | Alliance Description |
| Contractor        |                            |                                                                |                  |                      |
|                   |                            | Not Applicable                                                 | Not Applicable   | Not Applicable       |
| Sub-contractor(s) |                            |                                                                |                  |                      |
|                   |                            |                                                                |                  |                      |

## **SCHEDULE D**

### **COMPANY'S BACKGROUND**

- 4.1 Each of the companies involved in this tender, including Contractor and sub-contractor(s) (if any), shall provide information on the company's background, scope of operations, financial standing and certified copy of its Certificate of Incorporation or Certificate of Registration (as the case may be).

## SCHEDULE E

### REFERENCES

- 5.1 Tenderers shall submit a list of customers in Table 5.1 to whom the Contractor has provided similar services and items as specified in this tender in the recent 5 years as of the Tender Closing Date.

Table 5.1 - References of previous customers

| Customer Name and Address | Customer Type (Govt or Quasi Govt)* | Contact Person | Title | Contact Number, Fax Number and E-mail Address |
|---------------------------|-------------------------------------|----------------|-------|-----------------------------------------------|
|                           |                                     |                |       |                                               |

**\*Note:** Tenderers shall indicate whether the customer is a Government or Quasi Government organisation. A Quasi Government is defined as an organisation which (1) is managed and controlled by the Government; or (2) has at least 50% shares being held by the Government. Please leave the column blank if the customer is neither a Government or Quasi Government organisation.

- 5.2 The Ministry of Health shall treat all the information submitted under this schedule in strict confidence.
- 5.3 The Ministry of Health reserves the right to contact the references for tender assessment purposes.

**SCHEDULE F**  
**DECLARATION**

Tenderers shall complete and submit the Declaration form below.

**DECLARATION FORM**

TENDER REFERENCE : \_\_\_\_\_

TENDER TITLE : \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

---

That I, ..... The owner / one of the  
Owners of ..... Company which  
Participates in the above mentioned tender, hereby declare that I or any member of my  
family do not have any interest in other companies competing for the same tender.

---

**Signature & Company Stamp**



## **DECLARATION**

Tenderers shall complete and submit the Declaration form below.

### **PENGAKUAN PENENDER *TENDERER'S DECLARATION***

### BILL OF QUANTITIES (BQ)

| ITEM | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | UNIT | RATE     |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|
|      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      | \$       |
|      | <p><b>SECTION A – SUPPLY AND INSTALL TYRES</b></p> <p>To supply new vehicle tyres for RIPAS Hospital's according to a fixed schedule of rates as stated below.</p> <p>All tyres shall be new and of current production (not more than six (6) months from the date of manufacture).</p> <p>Bidders shall only quote for the recommended brands as listed in the Scope of Works.</p> <p>Other brands which are not mentioned will be rejected and disqualified from this quotation. (It is mandatory for the bidders to fill and specify the offered tyre specifications below).</p> <p><b>Note:</b></p> <ol style="list-style-type: none"> <li>1. Other accessories required/needed for the installation of the tyres (e.g. valves, balancing weights) shall be replaced with new ones and to be charged separately as provisional item(s)</li> <li>2. Rates for the supply and installation of tyres include all necessary services, such as wheel balancing, alignment checks, installation consumables, and any related works.</li> <li>3. Return all used/replaced tyres to Unit Pemeliharaan Kendaraan, RIPAS Hospital for official recording and disposal.</li> <li>4. All used/replaced tyres must be officially recorded and disposed of by the Contractor in accordance with the guidelines set by JASTRE/JKR.</li> </ol> |      |          |
| A1   | <p><b>235/80 R16, MITSUBISHI PAJERO, JMYLNV96</b></p> <p>a) Load Index: _____</p> <p>b) Speed Symbol: _____</p> <p>c) Tyre Type: _____</p> <p>d) Tread Pattern _____</p> <p>e) Brand: _____</p> <p>f) Country of Origin: _____</p> <p>g) Warranty: _____</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | NOS  | \$189.00 |
| A2   | <p><b>205/R16 MITSUBISHI PAJERO, CHNV320 &amp; MITSUBISHI L300 CAB, MMBJNKB70FD</b></p> <p>a) Load Index: _____</p> <p>b) Speed Symbol: _____</p> <p>c) Tyre Type: _____</p> <p>d) Tread Pattern _____</p> <p>e) Brand: _____</p> <p>f) Country of Origin: _____</p> <p>g) Warranty: _____</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | NOS  | \$170.00 |
| A3   | <p><b>235/75 R15 MITSUBISHI PAJERO, JMAONV43OVJ</b></p> <p>a) Load Index: _____</p> <p>b) Speed Symbol: _____</p> <p>c) Tyre Type: _____</p> <p>d) Tread Pattern _____</p> <p>e) Brand: _____</p> <p>f) Country of Origin: _____</p> <p>g) Warranty: _____</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | NOS  | \$75.00  |

| ITEM | DESCRIPTION                                                                                                                                                                                                                                                                                                                                 | UNIT | RATE     |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|
|      |                                                                                                                                                                                                                                                                                                                                             |      | \$       |
| A4   | <b>265/70 R16 MITSUBISHI PAJERO, JMYLNV76W7J000797</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____<br>h) Warranty: _____                                                                                    | NOS  | \$115.00 |
| A5   | <b>215/70 R16 HYUNDAI H1, KMHWH81JMAU240697</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                                                                 | NOS  | \$142.00 |
| A6   | <b>600/R14 MITSUBISHI STAR WAGON, CJCP12VLA00233</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                                                            | NOS  | \$119.00 |
| A7   | <b>185/R14 TOYOTA HIACE VAN, JT74UHC501002502, LH1147012894, RZH1146003795, MITSUBISHI L300 VAN, JMYHNP15WAA000763 &amp; MITSUBISHI L300 CAB COFK11ORP00326</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____ | NOS  | \$110.00 |
| A8   | <b>195/R15 TOYOTA HIACE VAN, JTFHS02P, JIFHS02P, JTFSS22P &amp; PROTON PERSONA, PL1CM6SRRCG358955</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                           | NOS  | \$151.00 |
| A9   | <b>6.50 x 16 DAIHATSU LIGHT TRUCK, JDA000V9900016027</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>i) Warranty: _____                                                                                                        | NOS  | \$155.00 |

| ITEM | DESCRIPTION                                                                                                                                                                                                                                                                      | UNIT | RATE     |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|
|      |                                                                                                                                                                                                                                                                                  |      | \$       |
| A10  | <b>185/80R14 MITSUBISHI L300 JMFSRPO3W &amp; TOYOTA SUPER KIJANG, MHF11L</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                         | NOS  | \$120.00 |
| A11  | <b>6.50 x 15 MITSUBISHI L300, JMYLNK340VP005822</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                  | NOS  | \$205.00 |
| A12  | <b>6.00 x 14 MITSUBISHI L300, COFK11</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                             | NOS  | \$100.00 |
| A13  | <b>7.00/R16 JAC MINI BUS, LI16AE3C, MITSUBISHI ROSA BUS, BE63 &amp; JAC LIGHTDUTY TRUCK LI11KAAC</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>j) Warranty: _____ | NOS  | \$158.00 |
| A14  | <b>8.25/R20 JAC BUS, LJ16BU5F7CB101002</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>k) Warranty: _____                                                           | NOS  | —        |
| A15  | <b>245/70 R16 FORD RANGER 2.5L 4WD, MNBUSFE40BW</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                  | NOS  | \$139.00 |
| A16  | <b>245/70 R17 FORD RANGER 2.5L 4WD, MNBUSFE40BW931192</b><br>a) Load Index: _____                                                                                                                                                                                                | NOS  | \$136.00 |

| ITEM | DESCRIPTION                                                                                                                                                                                                                             | UNIT | RATE     |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|
|      |                                                                                                                                                                                                                                         |      | \$       |
|      | b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                                        |      |          |
| A17  | <b>7.50 R16 MITSUBISHI CANTER BOX VAN, FE659FA02592</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____     | NOS  | \$150.00 |
| A18  | <b>7.5-16-10PR MITSUBISHI CANTER BOX VAN, FE659F-A05523</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____ | NOS  | \$160.00 |
| A19  | <b>9.00 R20 MITSUBISHI MOBILE BLOOD BANK, FM515LA30864</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____  | NOS  | \$198.00 |
| A20  | <b>825/R16 MITSUBISHI MOBILE DENTAL, FK415KA20185</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____       | NOS  | \$295.00 |
| A21  | <b>155S/R13 TOYOTA COROLLA, EE900148076</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                 | NOS  | \$88.00  |
| A22  | <b>185/80 R14 MITSUBISHI L300, JMFSRPO3W &amp; TOYOTA SUPER KIJANG MHF11LF</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____                                                      | NOS  | \$120.00 |

| ITEM | DESCRIPTION                                                                                                                                                                                                                                                                                                          | UNIT | RATE     |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|
|      |                                                                                                                                                                                                                                                                                                                      |      | \$       |
| A23  | e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____<br><br><b>205/75 R16 MERCEDEZ SPRINTER (BOX), WDB9061532N497528</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____ | NOS  | \$480.00 |
| A24  | <b>205/75 R17 MERCEDEZ SPRINTER (BOX), DB90611532N497523</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                             | NOS  | \$480.00 |
| A25  | <b>205/75 R18 MERCEDEZ SPRINTER (HR), WDB9066352S770150</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                              | NOS  | \$480.00 |
| A26  | <b>205/75 R19 MERCEDEZ SPRINTER (HR), WDB9066352S770151</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                              | NOS  | \$480.00 |
| A27  | <b>205/75 R20 MERCEDEZ SPRINTER (SR), WDB9066332S891635</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                              | NOS  | \$480.00 |
| A28  | <b>205/75 R21 MERCEDEZ SPRINTER (SR), WDB9066332S891055</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____                                                                              | NOS  | \$480.00 |

| ITEM | DESCRIPTION                                                                                                                                                                                                                              | UNIT | RATE     |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|
|      |                                                                                                                                                                                                                                          |      | \$       |
| A29  | <b>205/75 R22 MERCEDEZ SPRINTER (SR), WDB9066332S890487</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____  | NOS  | \$480.00 |
| A30  | <b>205/75 R23 MERCEDEZ SPRINTER (SR), WDB9066332S891636</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____  | NOS  | \$480.00 |
| A31  | <b>205/75 R24 MERCEDEZ SPRINTER (BOX), WDB9061532N497524</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____ | NOS  | \$480.00 |
| A32  | <b>205/75 R25 MERCEDEZ SPRINTER (BOX), WDB9061532N497522</b><br>a) Load Index: _____<br>b) Speed Symbol: _____<br>c) Tyre Type: _____<br>d) Tread Pattern: _____<br>e) Brand: _____<br>f) Country of Origin: _____<br>g) Warranty: _____ | NOS  | \$480.00 |

| ITEM | DESCRIPTION                                                                                                                                                                                                                                                                        | UNIT | RATE |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
|      |                                                                                                                                                                                                                                                                                    |      | \$   |
|      | <b>SECTION B – PROVISION OF FASSOCIATED TYRE SERVICES</b>                                                                                                                                                                                                                          |      |      |
|      | Note:<br><br>These provisional Items/services shall be carried out only upon instruction from the Officer in Charge (O.i.C). Only the specific quantities as ordered by the O.i.C shall be executed, and all such services shall carry a minimum warranty period of two (2) months |      |      |
| B1   | Dismounting Tyre                                                                                                                                                                                                                                                                   | NOS  | —    |
| B2   | Mounting Tyre                                                                                                                                                                                                                                                                      | NOS  | —    |
| B3   | Wheel Balancing                                                                                                                                                                                                                                                                    | NOS  | —    |
| B4   | Alignment                                                                                                                                                                                                                                                                          | NOS  | —    |
| B5   | Chamber                                                                                                                                                                                                                                                                            | NOS  | —    |
| B6   | Supply of Tyre Valve Stem                                                                                                                                                                                                                                                          | NOS  | —    |
| B7   | Puncture Repairs                                                                                                                                                                                                                                                                   | NOS  | —    |
| B8   | Rotation Position of Tyres                                                                                                                                                                                                                                                         | NOS  | —    |