

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING DRYING CABINET FOR CSSD, SURI SERI BEGAWAN HOSPITAL, KUALA BELAIT.**Contents**

SECTION 1 – USER REQUIREMENTS	1
1. ONE (1) UNIT OF DRYING CABINET.....	2
2. WARRANTY.....	2
3. END USER TRAINNING	2
4. TECHNICAL TRAINNING	3
SECTION 2 - PRICE PROPOSAL	3
SECTION 3 - PROCUMENT AND TECHNICAL SPECIFICATION.....	4
SECTION 4 – WARRANTY UNDERTAKING FORM	5

SECTION 1 – USER REQUIREMENTS				
REF	DESCRIPTION	Tick (✓)		STATE OR SPECIFY OR REMARKS OR BROCHURE PAGE
		YES	NO	
1	ONE (1) UNIT OF DRYING CABINET			
2	ADDITIONAL REQUIREMENTS			
3	WARRANTY			
4	END USER TRAINING			
5	TECHNICAL TRAINING			

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING DRYING CABINET FOR CSSD, SURI SERI BEGAWAN HOSPITAL, KUALA BELAIT.

1. ONE (1) UNIT OF DRYING CABINET				
REF	DESCRIPTION	Tick (✓)		STATE OR SPECIFY OR REMARKS OR BROCHURE PAGE
		Y	N	
1	Medical grade drying cabinet with T-304 stainless steel interior and exterior build			
2	Double front and back door (pass through type)			
3	Clear swinging door for easy loading and unloading			
4	Suitable for drying tubing, face mask, surgical instruments, medical devices and equipment.			
5	Inclusive of high efficiency HEPA filter with easy-access panel for routine maintenance			
6	Method of drying: Forced air convection system with adjustable temperature controls or warm filtered air or heating system to accommodate delicate plastic/silicone and heavy metal instruments.			
7	Cycle options include timed or continuous drying			
8	Multi-chamber or high-volume capacity with adjustable shelving and specialized racks.			
9	Dimension requirement, Height: Not more 240cm			
10	Dimension requirement, Length: Not more 100cm			
11	Dimension requirement, Width: Not more 120cm			

2. ADDITIONAL REQUIREMENTS				
1	Tenderer is required to do a site visit and attach a proposal layout plan to install the drying cabinet at the location suggested by Hospital Management. (Tenderer consult and liaise with both BME and Estate Management Unit SSBH.)			
2	Tenderer to include ALL cost associated with the necessary installation materials including hacking, minor renovation, piping, electrical wiring and other related matter.			
3	Tenderer to rectify any minor defects cause during after hacking.			

3. WARRANTY				
1	Tenderer to include comprehensive warranty for a period of at least one (1) year			
2	Tenderers to ACKNOWLEDGE the Warranty Undertaking Form in Section 4 stating the terms of warranty provided for the equipment in the tender for the period of two years. This includes but not limited to:			
2.1	Scope of Warranty			
2.2	One time Planned Preventive Maintenance per year during warranty in accordance to Manufacturer's Standard			
2.3	Comprehensive Breakdown and Corrective maintenance repair during warranty			

4. END USER TRAINING				
1	Conduct user training to the all-end users by an application specialist or competent local engineer including but not limited to:			

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING DRYING CABINET FOR CSSD, SURI SERI BEGAWAN HOSPITAL, KUALA BELAIT.

1.1	Basic user operation, user troubleshooting and user maintenance			
1.2	Provide Operating manual (Hardcopy and/or Softcopy)			
1.3	Tenderer must prepare a training attendance or proof of training done to end user during commissioning and the refresher course (6) months after commissioning.			

5. TECHNICAL TRAINNING

5.1	Introductory Technical Training to Biomedical Engineers and Technicians at BME Office by competent Tenderer's Engineer/Technicians that includes but not limited to: • Troubleshooting and basic corrective maintenance • Handling and basic inspection maintenance *(Two sessions/groups if required)			
-----	--	--	--	--

SECTION 2 - PRICE PROPOSAL

UNIT PRICE: BND\$	TOTAL PRICE: BND\$
--------------------------	---------------------------

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING DRYING CABINET FOR CSSD, SURI SERI BEGAWAN HOSPITAL, KUALA BELAIT.

SECTION 3 - PROCUMENT AND TECHNICAL SPECIFICATION					
BRAND:			MODEL:		
COUNTRY OF ORIGIN:			UNIT PRICE (B\$):		
WARRANTY PERIOD:			TOTAL PRICE (B\$):		
YEAR INTRODUCED TO MARKET:			LAST COUNTRY SOLD TO:		
PRICE VALIDITY: [AT LEAST ONE (1) YEAR PRICE VALIDTY]			DELIVERY TIME:		
AUTHORIZED DISTRIBUTOR: (AUTHORIZED DISTRIBUTOR LETTER ATTACHED)	APPOINTED BRUNEI DISTRIBUTOR				
	PROCURE FROM OVERSEA AUTHORIZED DISTRIBUTOR			COMPANY NAME:	
				COMPANY ORIGIN:	
DETAILED BROCHURE INCLUDED		YES		NO	☒ or specify where appropriate
USER AND SERVICE MANUALS:		YES		NO	Tenderers to acknowledge that they must provide at least TWO sets of USER AND SERVICE manuals when applying commissioning form. One Set for End User, One Set for BME. (Please provide hardcopy or softcopy)
MAINS POWER SUPPLY:	220V-240V		OTHERS:		
	50-60HZ		OTHERS:		
BATTERY	RECHARGEABLE			SINGLE-USE	REPLACEABLE
	OTHERS:				
	TYPE OF BATTERY:				
	RATING:				
POWER ADAPTER/CHARGER OUTPUT RATING:					
EQUIPMENT AMBIENT OPERATING TEMPERATURE RANGE:					
NUMBER OF TECHNICAL SUPPORT (ENGINEER/TECHNICIAN)	LOCAL		☐ Trained / Certified ☐ Not yet trained on the product		
Please provide training or certification for locals who is trained/certified	OVERSEA (SPECIFY LOCATION)		NEAREST LOCATION:		
DIMENSIONS AND WEIGHT OF MAIN UNIT:		☐ mm ☐ cm ☐ inch		☐ Kilogram (Kg) ☐ Gram(g) ☐ Pound (lbs)	
EQUIPMENT WHOLE LIFE TIME SUPPORT:	The supplier shall ensure that spare parts for the equipment are available for a minimum of 8 years after installation, with the support period extending beyond the expected lifecycle of the equipment. No of years: _____ (Please specify)				

SUPPLY, DELIVERY, INSTALLATION, TESTING AND COMMISSIONING DRYING CABINET FOR CSSD, SURI SERI BEGAWAN HOSPITAL, KUALA BELAIT.**SECTION 4 – WARRANTY UNDERTAKING FORM**

Tenderer, on behalf of the manufacturer, acknowledged and agrees that when equipment is under the warranty period, must cover the scope of normal warranty below at no additional cost:

NORMAL WARRANTY

- Warrants the supplied medical equipment and its accessories to be in good condition, in working order and free from defects to the extend such equipment do not comply with specifications, under normal use for the warranty period. The scope of warranty covers to its maximum extent permitted by applicable law.
- During warranty, tenderer must rectify issues arise from any mechanical, technical or software faulty as soon as it is reported.
- **Exchange warranty;** Providing replacement units or OEM parts:
 - A. Warranty against defects – Manufacturing defects or Equipment malfunction resulted from mechanical, electrical or software failure during Commissioning or within the first _____ months of use
 - B. Faulty workmanship or unsatisfactory condition during delivery or commissioning
 - C. If a unit or accessory is deemed used item or refurbished item (not a new unit) by the user and BME Unit.
- **One time Planned Preventive Maintenance (PPM) PER YEAR** according to Manufacturer's Preventive Maintenance Guideline including PM kits and any other relevant parts to prolong equipment lifespan.

EXCLUSION FROM WARRANTY

MOH understand that the following circumstances are not covered in the warranty and Tenderer may quote for repair and subject to MOH approval:

- Unauthorized modifications - an alteration or repair by anyone other than the Manufacturer or Authorized agent during warranty period.
- Accidental damage or problems caused by negligence or mishandling, subject to appropriate justification by both parties.
- Vandalism and Natural disasters
- Normal wear and tear

ANY OTHER EXCLUSION

Tenderer may propose below to include items or terms which is not listed in the exclusion list above for MOH consideration.

TENDERER ACKNOWLEDGMENT

COMPANY CHOP AND SIGNATURE