

TENDER REF. NO.: KK/213/2026/PPN(TC)

**MINISTRY OF HEALTH
NEGARA BRUNEI DARUSSALAM**

**SUPPLY AND DELIVERY OF ENDODONTIC CONSUMABLE
ITEMS FOR DEPARTMENT OF DENTAL SERVICES,
MINISTRY OF HEALTH FOR A PERIOD OF THREE (3)
YEARS**

TENDER FEE : \$10.00

RECEIPT NO. :

CLOSING DATE : ON TUESDAY, 13th October 2026

TIME : 2.00 PM

FOA :

**THE CHAIRMAN
MINI TENDER BOARD, TENDER BOX
GROUND FLOOR, MINISTRY OF HEALTH
COMMONWEALTH DRIVE
BANDAR SERI BEGAWAN BB3910
NEGARA BRUNEI DARUSSALAM**

[NON-CLUSTERING]

SECTION 2

SPECIFICATIONS

TENDER REFERENCE NO.: KK/213/2026/PPN(TC)

INVITATION TO TENDER

SUPPLY AND DELIVERY OF ENDODONTIC CONSUMABLE ITEMS FOR DEPARTMENT OF DENTAL SERVICES, MINISTRY OF HEALTH FOR A PERIOD OF THREE (3) YEARS

NO	ITEM DESCRIPTION	QUANTITY
1	Non-Latex Dental Dam Squares Specifications: • Not easily torn • Non dissolvable by xylene • Latex free • For professional dental use only • zero protein and low powder • latex free but feels and acts like latex • 152mmx 152mm • Colour: Light blue • Medium gauge, thickness 0.18mm-0.2mm • Minimum 4000 Sheets of Rubber Dam • Expiration date must not less than 24 months from the day of arrival at dental store. • Must include brochure • Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.	4000 Sheets of Rubber Dam
2	Calcium Hydroxide Paste Specifications: • Contain 30-35% of Calcium Hyrdoxide • Compatible with 29 gauge navitip single sideport tip • Aqueous and radiopaque with minimum pH 12.5. • Intracanal dressing medicament during root canal treatment • Expiration date must not less than 24 months from the day of arrival at dental store • Each syringe should contain minimum of 1.2ml • Must include brochure • Proof of authenticity and letter of authorized distributor from supplier • Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.	240 Syringes

NO	ITEM DESCRIPTION	QUANTITY
3	Ethylenediaminetetraacetic acid (EDTA) Specifications: • Should contains 17-18% EDTA • Root canal irrigation solution • For removal of smear layer during root canal instrumentation • Expiration date must not less than 24 months from the day of arrival at dental store • Maximum 100ml per Bottle • Must include brochure • Proof of authenticity and letter of authorized distributor from supplier • Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.	100 Bottles
4	Chlorhexidine (2%) Antibacterial Solution Specifications: • Should contains 2% Chlorhexidine • Root canal irrigant • For disinfecting root canal system • Each syringe should contains minimum of 30ml • Expiration date must not less than 24 months from the day of arrival at dental store • Must include brochure • Proof of authenticity and letter of authorized distributor from supplier • Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.	10 Syringes
5	Non-Eugenol Calcium Hydroxide Root Canal Sealer Specifications: • Non-eugenol calcium hydroxide root canal sealer • Promotes rapid healing and the formation of hard tissue • Set of liquid base tube and catalyst tube • Minimum base 12g and catalyst 12g per set • Expiration date must not less than 24 months from the day of arrival at dental store • Must include brochure • Proof of authenticity and letter of authorized distributor from supplier • Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.	30 Sets
6	Microopeners ISO Size #10 With K Type Files Flutes Specifications: • Endodontic instrument for canal location under magnification	120 Pieces

NO	ITEM DESCRIPTION	QUANTITY
	• Made of High-grade surgical stainless steel • Slender, offset/ergonomic handle • For instrumentation of the root canal system • Design for use with a microscope or other form of magnification • Single ended • ISO size #10 • K type files flutes • 4% taper • Sterilizable and resistant to corrosion • Minimum 120 pieces • Must include brochure • Proof of authenticity and letter of authorized distributor from supplier • Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.	
7	Microopeners ISO Size #15 With K Type Files Flutes Specifications: • Endodontic instrument for canal location under magnification • High-grade surgical stainless steel • Slender, offset/ergonomic handle • For instrumentation of the root canal system • Design for use with a microscope or other form of magnification • Single ended • ISO size #15 • K type files flutes • 4% taper • Sterilizable and resistant to corrosion • Minimum 120 pieces • Must include brochure • Proof of authenticity and letter of authorized distributor from supplier • Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.	120 Pieces
8	Cold Sensibility Test Specifications: • Cold spray that can freeze cotton pellets or rolls • It is use to test normal response of nerve fibres in the pulp by stimulating the nerve endings • Odourless and tasteless • Maximum 200ml per can or equivalent which comes with spray nozzle to give precise application on the cotton pellet • Temperature must be of -50°C or lower • Expiration date must not less than 24 months from the day of arrival at dental store • Must include brochure • Proof of authenticity and letter of authorized distributor from supplier	100 Cans

NO	ITEM DESCRIPTION	QUANTITY
	Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.	
9	Ioceramic Root Canal Sealer Specification: - Bioactive mineral permanent root canal sealer - Provides tight seal, no shrinkage and high purity. - Must contain active bioceramic: tricalcium silicate - Great flowability and adhesion - Long-term stability and success - Outstanding adhesion to dentine and gutta-percha points - Hydrophilic - Pure mineral formulation that does not stain teeth - Resin free made from pure calcium silicate and is monomer free ensuring no shrinkage - Good flowability which seals auxiliary canals - To be used as single cone or cold lateral condensation - High 5mm Al radiopacity for clear images on radiographs - Comes in a box of - Bottle of powder and - Single cone containers of aqueous solution of calcium chloride and polycarboxylate - Total of 4 boxes with staggered delivery of 2 boxes every 6 months from date of first delivery - Expiration date must not be less than 12 months from the day of arrival at dental store - Must include brochure - Proof of authenticity and letter of authorized distributor from supplier - Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.	4 Boxes

TERMS AND CONDITIONS			
a.	Tenderer must be registered with the Ministry of Health	<i>Acknowledgement:</i> <i>Company Ref No:</i>	Company's Official Stamp
b.	Please fill in the QUOTATION FORM completely including the USER REQUIREMENT FORM (if available). Submission of incomplete form may cause DISQUALIFICATION OF QUOTATION	I hereby certify the above quote to be correct. Signature: Name:	

c.	Each tenderer is allowed to quote ONE BRAND WITH ONE PRICE ONLY for each item, submission of more than one brand and price will cause DISQUALIFICATION OF QUOTATION.	 Designation: Date: 	
d.	Delivery Period: NOT MORE THAN 60 DAYS		
e.	Please do not use TIPPEX for amendment.		

SECTION 3
FORMS TO BE USED

CONTENTS

SCHEDULE 1 - TENDER FORM

SCHEDULE 2 - INFORMATION SUMMARY

SCHEDULE 3 - SUB-CONTRACTS

SCHEDULE 4 - COMPANY BACKGROUND

SCHEDULE 5 - REFERENCES

SCHEDULE 6 - LETTER OF DECLARATION

SECTION 3

FORMS TO BE USED

TENDER REFERENCE NO.: KK/213/2026/PPN(TC)

INVITATION TO TENDER

**SUPPLY AND DELIVERY OF ENDODONTIC CONSUMABLE ITEMS FOR DEPARTMENT OF DENTAL SERVICES, MINISTRY OF HEALTH
FOR A PERIOD OF THREE (3) YEARS**

USER REQUIREMENTS			YES	NO	PLEASE SPECIFY THE SPECIFICATION/ SCOPE OFFERED FAILURE TO FILL THE OFFER DETAIL SHALL BE IDENTIFIED AS NON-COMPLIANCE TO THE OFFER
1	Non-Latex Dental Dam Squares	Not easily torn			
		Non dissolvable by xylene			
		Latex free			
		For professional dental use only			
		zero protein and low powder			
		latex free but feels and acts like latex			
		152mmx 152mm			
		Colour: Light blue			
		Medium gauge, thickness 0.18mm-0.2mm			
		Minimum 4000 Sheets of Rubber Dam			
		Expiration date must not less than 24 months from the day of arrival at dental store.			
		Must include brochure			
		Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.			
		4000 Sheets of Rubber Dam			

2	Calcium Hydroxide Paste	Contain 30-35% of Calcium Hyrdoxide			
		Compatible with 29 gauge navitip single sideport tip			
		Aqueous and radiopaque with minimum pH 12.5.			
		Intracanal dressing medicament during root canal treatment			
		Expiration date must not less than 24 months from the day of arrival at dental store			
		Each syringe should contain minimum of 1.2ml			
		Must include brochure			
		Proof of authenticity and letter of authorized distributor from supplier			
		Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.			
		240 Syringes			
3	Ethylenediaminetetraacetic acid (EDTA)	Should contains 17-18% EDTA			
		Root canal irrigation solution			
		For removal of smear layer during root canal instrumentation			
		Expiration date must not less than 24 months from the day of arrival at dental store			
		Maximum 100ml per			
		Bottle			
		Must include brochure			
		Proof of authenticity and letter of authorized distributor from supplier			
		Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.			
		100 Bottles			
4	Chlorhexidine (2%) Antibacterial Solution	Should contains 2% Chlorhexidine			
		Root canal irrigant			
		For disinfecting root canal system			
		Each syringe should contains minimum of 30ml			
		Expiration date must not less than 24 months from the day of arrival at dental store			
		Must include brochure			

		Proof of authenticity and letter of authorized distributor from supplier			
		Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.			
		10 Syringes			
5	Non-Eugenol Calcium Hydroxide Root Canal Sealer	Non-eugenol calcium hydroxide root canal sealer			
		Promotes rapid healing and the formation of hard tissue			
		Set of liquid base tube and catalyst tube			
		Minimum base 12g and catalyst 12g per set			
		Expiration date must not less than 24 months from the day of arrival at dental store			
		Must include brochure			
		Proof of authenticity and letter of authorized distributor from supplier			
		Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.			
		30 Sets			
6	Microopeners ISO Size #10 With K Type Files Flutes	Endodontic instrument for canal location under magnification			
		Made of High-grade surgical stainless steel			
		Slender, offset/ergonomic handle			
		For instrumentation of the root canal system			
		Design for use with a microscope or other form of magnification			
		Single ended			
		ISO size #10			
		K type files flutes			
		4% taper			
		Sterilizable and resistant to corrosion			
		Minimum 120 pieces			
		Must include brochure			
		Proof of authenticity and letter of authorized distributor from supplier			
		Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental			

		Department, in which relevant PO reference should be quoted.			
		120 Pieces			
7	Microopeners ISO Size #15 With K Type Files Flutes	Endodontic instrument for canal location under magnification			
		High-grade surgical stainless steel			
		Slender, offset/ergonomic handle			
		For instrumentation of the root canal system			
		Design for use with a microscope or other form of magnification			
		Single ended			
		ISO size #15			
		K type files flutes			
		4% taper			
		Sterilizable and resistant to corrosion			
		Minimum 120 pieces			
		Must include brochure			
		Proof of authenticity and letter of authorized distributor from supplier			
		Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.			
		120 Pieces			
8	Cold Sensibility Test	Cold spray that can freeze cotton pellets or rolls			
		It is use to test normal response of nerve fibres in the pulp by stimulating the nerve endings			
		Odourless and tasteless			
		Maximum 200ml per can or equivalent which comes with spray nozzle to give precise application on the cotton pellet			
		Temperature must be of -50°C or lower			
		Expiration date must not less than 24 months from the day of arrival at dental store			
		Must include brochure			
		Proof of authenticity and letter of authorized distributor from supplier			
		Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental			

		Department, in which relevant PO reference should be quoted.			
		100 Cans			
9	Ioceramic Root Canal Sealer	Bioactive mineral permanent root canal sealer			
		Provides tight seal, no shrinkage and high purity.			
		Must contain active bioceramic: tricalcium silicate			
		Great flowability and adhesion			
		Long-term stability and success			
		Outstanding adhesion to dentine and gutta-percha points			
		Hydrophilic			
		Pure mineral formulation that does not stain teeth			
		Resin free made from pure calcium silicate and is monomer free ensuring no shrinkage			
		Good flowability which seals auxiliary canals			
		To be used as single cone or cold lateral condensation			
		High 5mm Al radiopacity for clear images on radiographs			
		Comes in a box of			
		Bottle of powder and			
		Single cone containers of aqueous solution of calcium chloride and polycarboxylate			
		Total of 4 boxes with staggered delivery of 2 boxes every 6 months from date of first delivery			
		Expiration date must not be less than 12 months from the day of arrival at dental store			
		Must include brochure			
		Proof of authenticity and letter of authorized distributor from supplier			
		Sample must be submitted no later than 30 days from the closing date, unless previously supplied to the Dental Department, in which relevant PO reference should be quoted.			
		4 Boxes			

our Tender to provide the above-mentioned services in accordance with your Invitation To Tender.

2. Our Tender is fully consistent with and does not contradict or derogate from anything in your Invitation To Tender. We have not qualified or changed any of the provisions of your Invitation To Tender.
3. We shall execute a formal agreement in the appropriate form set out in Section 4 – Contract of the Invitation to Tender together with such further terms and conditions, if any, agreed between the Government and us.
4. OUR OFFER IS VALID FOR **THIRTY (30)** CALENDAR MONTHS FROM THE TENDER CLOSING DATE.
5. When requested by you, we shall extend the validity of this offer.
6. We further undertake to give you any further information which you may require.

Dated this _____ day of _____, 20_____

[Signature of authorised officer of Tenderer]

Name:

Designation:

Tenderer's official stamp:

SCHEDULE 2 - INFORMATION SUMMARY

2.1 Tenderers shall provide in this Schedule the following information:

- a. Management summary
- b. Company profile (including Contractor and sub-contractor(s), if any)
- c. Years of experience (as of the Tender Closing Date) of the Contractor and sub-contractor(s) in the:
 - ***Provision of Integrated Pest and Animal Control Services***
- d. Other information which is considered relevant

SCHEDULE 3 - SUB-CONTRACTS

- 3.1 Tenderers shall complete Table 3.1 with information about all the companies involved in the provision of the services and items specified in this tender. This shall include details about the Contractor and each sub-contractor involved, as well as their respective responsibilities.
- 3.2 Tenderers shall also indicate in Table 3.1 any alliance relationship established with each sub-contractor. An alliance is defined as a formal and binding business relationship between the allied parties.

Table 3.1 - Responsibility Table

Company Name	Responsibility Description	Alliance Relationship between Contractor and Sub-contractor(s)		
		Alliance Exists? (Y/N)	Date Established	Alliance Description
Contractor				
		Not Applicable	Not Applicable	Not Applicable
Sub-contractor(s)				

SCHEDULE 4 - COMPANY'S BACKGROUND

- 4.1 Each of the companies involved in this tender, including Contractor and sub-contractor(s) (if any), shall provide information on the company's background, scope of operations, financial standing and certified copy of its Certificate of Incorporation or Certificate of Registration (as the case may be).

SCHEDULE 5 - REFERENCES

- 5.1 Tenderers shall submit a list of customers in Table 5.1 to whom the Contractor has provided similar services and items as specified in this tender in the recent 5 years as of the Tender Closing Date.

Table 5.1 - References of previous customers

Customer Name and Address	Customer Type (Govt or Quasi Govt)*	Contact Person	Title	Contact Number, Fax Number and E-mail Address

***Note:** Tenderers shall indicate whether the customer is a Government or Quasi Government organisation. A Quasi Government is defined as an organisation which (1) is managed and controlled by the Government; or (2) has at least 50% shares being held by the Government. Please leave the column blank if the customer is neither a Government or Quasi Government organisation.

- 5.2 The Ministry of Health shall treat all the information submitted under this schedule in strict confidence.
- 5.3 The Ministry of Health reserves the right to contact the references for tender assessment purposes.

SCHEDULE 6 - LETTER OF DECLARATION